

Features


- Glass touch surface.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Real time energy usage in watts & dollars.
- Automatic schedules.
- Auto off timers.
- Power outage recovery.
- Power lock.
- Individual socket control.
- Night light on/off and auto dim.
- High energy use alert.
- Voice control with your favourite voice assistant. *

Learn more at www.zimi.life


Specifications

Product Code	Colour	Description	Max Load Rating	Line Voltage Freq.
SENPP	White	Senoa Power Point Switched 2 Gang	10A @ 250V~ 2500W	50Hz Nominal
SENPPBK	Black			

Dimensions (mm)



Wiring Guide



SENPP



SENPPBK

Standards Approval:
AS/NZS 3112 & AS/NZS CISPR15

Certification Number:
GMA-511359-EA




Download Zimi

Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
Press for on/off
Hold for dimming
Double press for full brightness
Triple press for a timed fade to off.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENDIM1	White	Senoa Dimmer 1 Button	230V~ 50Hz
SENDIM1BK	Black		

Load Type	Symbol	Dimmer rated load
LED drivers & lamps		250W
Incandescent		100W
Fluorescent		×
Electronic transformers		×
Standard iron core & toroidal transformers		×
Small motors		×

Dimensions (mm)



Wiring Guide



SENDIM1



SENDIM1BK

Standards Approval:

AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:

GMA-511367-EA



Download Zimi

Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
Press for on/off
Hold for dimming
Double press for full brightness
Triple press for a timed fade to off.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMD52	White	Senoa Multi Dimmer Switch 2 Button	230V~ 50Hz
SENMD52BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load
LED drivers & lamps		250W	230W
Incandescent		100W	5A
Fluorescent		×	2AX
Electronic transformers		×	2A
Standard iron core & toroidal transformers		×	2A
Small motors		×	M.20

Dimensions (mm)



Wiring Guide



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>

SENMD52



SENMD52BK



Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA




Download Zimi
Scan the code with
your phone camera
to download.



* Zimi Cloud Connect

Enjoy the complete
experience of all
your Zimi devices
with full functionality,
reliable connectivity
and energy history.



Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
Press for on/off
Hold for dimming
Double press for full brightness
Triple press for a timed fade to off.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMD54	White	Senoa Multi Dimmer Switch 4 Button	230V~ 50Hz Max 10A Total
SENMD54BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load
LED drivers & lamps		250W	230W
Incandescent		100W	5A
Fluorescent		×	2AX
Electronic transformers		×	2A
Standard iron core & toroidal transformers		×	2A
Small motors		×	M.20


Dimensions (mm)



Wiring Guide



SENMD54



SENMD54BK

Standards Approval:

AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:

GMA-511367-EA




Download Zimi

Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
Press for on/off
Hold for dimming
Double press for full brightness
Triple press for a timed fade to off.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMD56	White	Senoa Multi Dimmer Switch 6 Button	230V~ 50Hz Max 10A Total
SENMD56BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load	Spare Buttons
LED drivers & lamps		250W	230W	Behaviour Link
Incandescent		100W	5A	
Fluorescent		×	2AX	
Electronic transformers		×	2A	
Standard iron core & toroidal transformers		×	2A	
Small motors		×	M.20	

Dimensions (mm)



Wiring Guide



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life


Need help?

email support@zimi.life
visit <https://support.zimi.life>

SENMD56



SENMD56BK



Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA




Download Zimi
Scan the code with
your phone camera
to download.



* Zimi Cloud Connect

Enjoy the complete
experience of all
your Zimi devices
with full functionality,
reliable connectivity
and energy history.



Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMPS1	White	Senoa Multi Purpose Switch 1 Button	230V~ 50Hz
SENMPS1BK	Black		

Load Type	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors		M.20

Dimensions (mm)



Wiring Guide



SENMPS1

SENMPS1BK

Standards Approval:

AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:

GMA-511368-EA



Download Zimi

Scan the code with
your phone camera
to download.



* Zimi Cloud Connect

Enjoy the complete
experience of all
your Zimi devices
with full functionality,
reliable connectivity
and energy history.





Multi Purpose Switch

2 Button

DATA SHEET

Features


- Glass touch surface.
 - Proximity sense touch pad illumination.
 - Colour tuneable touch pads (RGBW).
 - Slim magnetic glass fascia.
 - Laser engraving option for icons and text.
 - Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
 - Bluetooth mesh connectivity with each device acting as a repeater.
 - Silverfish antenna technology.
 - 2 year warranty.
 - Real time energy usage in watts & dollars.
 - Auto off timers.
 - Automatic schedules.
 - Power outage recovery.
 - Night light on/off and auto dim.
 - Multi way switching of other Zimi devices using Behaviour Link.
 - Voice control with your favourite voice assistant.*
- Learn more at www.zimi.life**

Specifications


Product Code	Colour	Description	Rating
SENMP2	White	Senoa Multi Purpose Switch 2 Button	230V~ 50Hz Max 10A Total
SENMP2BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors		M.20

Dimensions (mm)



Wiring Guide



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>



SENMP2



SENMP2BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA



Download Zimi
Scan the code with
your phone camera
to download.



* Zimi Cloud Connect

Enjoy the complete
experience of all
your Zimi devices
with full functionality,
reliable connectivity
and energy history.



Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMP54	White	Senoa Multi Purpose Switch 4 Button	230V~ 50Hz Max 10A Total
SENMP54BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors		M.20

Dimensions (mm)




Wiring Guide



SENMP54



SENMP54BK



Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA



Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.





Multi Purpose Switch

6 Button

DATA SHEET

Features


- Glass touch surface.
 - Proximity sense touch pad illumination.
 - Colour tuneable touch pads (RGBW).
 - Slim magnetic glass fascia.
 - Laser engraving option for icons and text.
 - Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
 - Bluetooth mesh connectivity with each device acting as a repeater.
 - Silverfish antenna technology.
 - 2 year warranty.
 - Real time energy usage in watts & dollars.
 - Auto off timers.
 - Automatic schedules.
 - Power outage recovery.
 - Night light on/off and auto dim.
 - Multi way switching of other Zimi devices using Behaviour Link.
 - Voice control with your favourite voice assistant.*
- Learn more at www.zimi.life**

Specifications


Product Code	Colour	Description	Rating
SENMP56	White	Senoa Multi Purpose Switch 6 Button	230V~ 50Hz Max 10A Total
SENMP56BK	Black		

Load Type per channel	Symbol	Switch rated load	Spare Buttons
LED drivers & lamps		230W	Behaviour Link
Incandescent		5A	
Fluorescent		2AX	
Electronic transformers		2A	
Standard iron core & toroidal transformers		2A	
Small motors		M.20	

Dimensions (mm)



Wiring Guide



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>

SENMP56

SENMP56BK

Standards Approval:

AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:

GMA-511368-EA



Download Zimi

Scan the code with
your phone camera
to download.



* Zimi Cloud Connect

Enjoy the complete
experience of all
your Zimi devices
with full functionality,
reliable connectivity
and energy history.



SENOA products must be installed by a qualified electrician. Zimi requires a compatible (Android, iOS) mobile device, minimum OS requirements are available at www.zimi.life. Availability and performance of certain features are service, device and network-dependent and may not be available in all areas; subscription(s) may be required, and additional terms, conditions and/or charges may apply. All features, functionality and other product specifications are subject to change without notice or obligation. SENOA products are optimised for the use with the Zimi App. The Bluetooth word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. iOS is a trademark or registered trademark of Cisco Inc. Zimi and Powermesh and their respective logos are registered trademarks of Zimi Ltd. Google and Google Play are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Apple, the Apple logo, Apple Watch and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. Copyright © 2022 Zimi Ltd. All rights reserved.

SENOA

Multi Purpose Switch 2 Button

DATA SHEET

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMP2	White	Senoa Multi Purpose Switch 2 Button	230V~ 50Hz Max 10A Total
SENMP2BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors		M.20

Dimensions (mm)



Wiring Guide



zimi

14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>

SENMP2

SENMP2BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA




Download Zimi
Scan the code with
your phone camera
to download.



* Zimi Cloud Connect

Enjoy the complete
experience of all
your Zimi devices
with full functionality,
reliable connectivity
and energy history.



SENOA products must be installed by a qualified electrician. Zimi requires a compatible (Android, iOS) mobile device, minimum OS requirements are available at www.zimi.life. Availability and performance of certain features are service, device and network-dependent and may not be available in all areas; subscription(s) may be required, and additional terms, conditions and/or charges may apply. All features, functionality and other product specifications are subject to change without notice or obligation. SENOA products are optimised for the use with the Zimi App. The Bluetooth word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. iOS is a trademark or registered trademark of Cisco Inc. Zimi and Powermesh and their respective logos are registered trademarks of Zimi Ltd. Google and Google Play are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Apple, the Apple logo, Apple Watch and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. Copyright © 2022 Zimi Ltd. All rights reserved.

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMP54	White	Senoa Multi Purpose Switch 4 Button	230V~ 50Hz Max 10A Total
SENMP54BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors		M.20

Dimensions (mm)



Wiring Guide



SENMP54



SENMP54BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA




Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENMP56	White	Senoa Multi Purpose Switch 6 Button	230V~ 50Hz Max 10A Total
SENMP56BK	Black		

Load Type per channel	Symbol	Switch rated load	Spare Buttons
LED drivers & lamps		230W	Behaviour Link
Incandescent		5A	
Fluorescent		2AX	
Electronic transformers		2A	
Standard iron core & toroidal transformers		2A	
Small motors		M.20	

Dimensions (mm)




Wiring Guide



SENMP56



SENMP56BK



Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA




Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



Features

- Suits most AC blinds with separate active wires for open/close (refer compatibility list).
- Open and close button (touch to stop).
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- 2 year warranty.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- Automatic schedules.
- Night light on/off and auto dim.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENBC2	White	Senoa Single Blind Controller	230V~ 50Hz
SENBC2BK	Black		

Load Type per channel	Symbol	Blind 1
Small Motors M.20	(M)	300W

Dimensions (mm)



Wiring Guide



SENBC2

SENBC2BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15


Certification Number:
GMA-511368-EA

Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>

Features

- Suits most AC blinds with separate active wires for open/close (refer compatibility list).
- Open and close button (touch to stop).
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- 2 year warranty.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SENBC4	White	Senoa Dual Blind Controller	230V~ 50Hz
SENBC4BK	Black		

Load Type per channel	Symbol	Blind 1	Blind 2
Small Motors M.20	(M)	300W	300W

Dimensions (mm)



Wiring Guide




14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>



SENBC4



SENBC4BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA




Download Zimi
Scan the code with
your phone camera
to download.



* Zimi Cloud Connect

Enjoy the complete
experience of all
your Zimi devices
with full functionality,
reliable connectivity
and energy history.



Features


- NDIS compliant touch pad size (>35mm wide).
- Glass touch surface.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Automatic schedules.
- Auto off timers.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Power lock.
- Individual socket control.
- Night light on/off and auto dim.
- High energy use alert.
- Switching from other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life


Specifications

Product Code	Colour	Description	Max Load Rating	Line Voltage Freq.
SNASPP	White	Senoa Accessibility Power Point Switched 2 Gang	10A @ 250V~ 2500W	50Hz Nominal
SNASPPBK	Black			


Dimensions (mm)



Wiring Guide



SNASPP



SNASPPBK

Standards Approval:
AS/NZS 3112 & AS/NZS CISPR15

Certification Number:
GMA-511359-EA




Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.





ACCESSIBILITY RANGE Multi Dimmer Switch

DATA SHEET

Features

- NDIS compliant touch pad size (>35mm wide).
- 1 x Dimmer and 2 x Switches.
- Ripple Smooth™ dimming technology.
- Trailing edge dimmer.
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
Press for on/off
Hold for dimming
Double press for full brightness
Triple press for a timed fade to off.
- Automatic schedules.
- Auto off timers.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Night light on/off and auto dim.
- Min and max dimming levels for increased compatibility without flicker.
- Multi way switching of other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SNASMDS3	White	Senoa Accessibility Multi Dimmer Switch	230V~ 50Hz Max 10A Total
SNASMDS3BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load
LED drivers & lamps		250W	230W
Incandescent		100W	5A
Fluorescent		×	2AX
Electronic transformers		×	2A
Standard iron core & toroidal transformers		×	2A
Small motors		×	M.20

Dimensions (mm)



Wiring Guide



SNASMDS3



SNASMDS3BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA



Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



14 Millennium Circuit, Helensvale,
QLD 4212 Australia. www.zimi.life

Need help?

email support@zimi.life
visit <https://support.zimi.life>

SENŌA products must be installed by a qualified electrician. Zimi requires a compatible (Android, iOS) mobile device, minimum OS requirements are available at www.zimi.life. Availability and performance of certain features are service, device and network-dependent and may not be available in all areas; subscription(s) may be required, and additional terms, conditions and/or charges may apply. All features, functionality and other product specifications are subject to change without notice or obligation. SENŌA products are optimised for the use with the Zimi App. The Bluetooth word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. iOS is a trademark or registered trademark of Cisco Inc. Zimi and Povermesh and their respective logos are registered trademarks of Zimi Ltd. Google and Google Play are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Apple, the Apple logo, Apple Watch and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. Copyright © 2022 Zimi Ltd. All rights reserved.

Features

- NDIS compliant touch pad size (>35mm wide).
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Automatic schedules.
- Auto off timers.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*


Learn more at www.zimi.life

Specifications


Product Code	Colour	Description	Rating
SNASMP3	White	Senoa Accessibility Multi Purpose Switch	230V~ 50Hz Max 10A Total
SNASMP3BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors		M.20

Dimensions (mm)



Wiring Guide



SNASMP3



SNASMP3BK



Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA




Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



Features

- NDIS compliant touch pad size (>35mm wide).
- Suits most AC blinds with separate active wires for open/close (refer compatibility list).
- Open and close blinds, (touch to stop).
- On / off light switch.
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Automatic schedules.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life


Specifications

Product Code	Colour	Description	Rating
SNASBLC	White	Senoa Accessibility Blind and Light Controller	230V~ 50Hz
SNASBLCBK	Black		


Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A

		Blind rated load
Small motors		300W

Dimensions (mm)



Wiring Guide



SNASBLC



SNASBLCBK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA




Download Zimi
Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



SENŌA

Fan Controller

With light switch


DATA SHEET

Features


- Glass touch surface
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Switch terminals have 4mm bore to suit 1.5mm² cable.
- Screw caps included to cover mounting screws.
- LED indicator displays on/off state, and fan speed.
- Sliding touch control for fan speed.
- Touch control for light (room or fan light).
- Silverfish antenna technology.
- Bluetooth mesh connectivity with each device acting as a repeater.
- 2 year warranty.
- Real time energy use in watts & dollars.
- Automatic schedules.
- Auto off timers.
- Power outage recovery.
- Night light on/off and auto dim.
- Speed Sense technology changes the fan speed with room temperature.
- Behaviour Link with other Zimi devices.
- Voice control with your favourite voice assistant.

Specifications

Product Code	Colour	Description	
SENFCG	White	Senoa Fan Controller Glass Facia with Light Switch 7 Speed 120W AC Fan 250W Light	• Line voltage frequency: 50Hz Nominal • 7 speed capacitor control: 1.1~3.3μF + full speed, suitable for most AC fans. • Fan load: 120 watts maximum @ 240V~ • Light load: 250 watts maximum @ 240V~
SENFCGBK	Black		



SENFCG



SENFCGBK



Download Zimi

Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.



SENŌA

Fan Controller

With light switch



DATA SHEET

Features


- Glass silk touch surface
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Switch terminals have 4mm bore to suit 1.5mm² cable.
- Screw caps included to cover mounting screws.
- LED indicator displays on/off state, and fan speed.
- Sliding touch control for fan speed.
- Touch control for light (room or fan light).
- Silverfish antenna technology.
- Bluetooth mesh connectivity with each device acting as a repeater.
- 2 year warranty.
- Real time energy use in watts & dollars.
- Automatic schedules.
- Auto off timers.
- Power outage recovery.
- Night light on/off and auto dim.
- Speed Sense technology changes the fan speed with room temperature.
- Behaviour Link with other Zimi devices.
- Voice control with your favourite voice assistant.

Specifications

Product Code	Colour	Description	
SENFCGS	White	Senoa Fan Controller Glass Silk Facia with Light Switch 7 Speed 120W AC Fan 250W Light	• Line voltage frequency: 50Hz Nominal • 7 speed capacitor control: 1.1~3.3μF + full speed, suitable for most AC fans. • Fan load: 120 watts maximum @ 240V~ • Light load: 250 watts maximum @ 240V~
SENFCGSBK	Black		



SENFCGS



SENFCGSBK

 **Bluetooth®**

Download Zimi

Scan the code with your phone camera to download.



* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

