

**MESWC**  
**MESWCFAN**  
**MESWCHEAT**  
**MESWCLIGHT**  
**MESW32C**  
**MESW32COVEN**  
**MESW32CHOB**  
**MESWCI**  
**MESWCDP**  
**MESWCBPR**  
**MESWC3\***

See current catalogue for further detail

MESWC (Cat's Eye) switch mechanism are used in conjunction with Snow Leopard, Clouded Leopard and Leopard switch plates

Note: MESW switch mechanism are used in conjunction with Flat Cat, Puma and Cougar switch plates.

\*Multiple print options available - see catalogue or website for further detail.

#### Cleaning Guide:

Spraying cleaning products on to electrical products is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. (Do not use an abrasive cloth as it may scratch the plastic).

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.



## Meerkat Range of Switch Mechanisms

For use in conjunction with SNOW LEOPARD, CLOUDED LEOPARD and LEOPARD

- MESWC - approved to AS/NZS60669-1.
- MESW32C and MESW32COVEN approved to AS/NZS3133.
- Designed to clip into Snow Leopard, Clouded Leopard and Leopard switch plates, also fits all Trader Ranges and many others.
- Uses brass tunnel terminal that have the screws backed out for easier installation of cabling. Switches are single pole two way with looping terminal and suit 4 x 1.5mm<sup>2</sup> cables with 4.1mm bore.
- Slotted head terminal screws, and backed out for easy installation.
- Cat's Eye dolly styling.
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Please check availability.



| Catalogue Number | Description                                                         |
|------------------|---------------------------------------------------------------------|
| MESWC            | Switch Mechanism 16AX 20A 250V ac Cat's Eye White                   |
| MESWCFAN         | Switch Mechanism 16AX 20A 250V ac Cat's Eye Labelled Fan White      |
| MESWCHEAT        | Switch Mechanism 16AX 20A 250V ac Cat's Eye Labelled Heat White     |
| MESWCLIGHT       | Switch Mechanism 16AX 20A 250V ac Cat's Eye Labelled Light White    |
| MESW32C          | Switch Mechanism 32A 250V ac Cat's Eye White                        |
| MESW32COVEN      | Switch Mechanism 32A 250V ac Cat's Eye Labelled OVEN White          |
| MESW32CHOB       | Switch Mechanism 32A 250V ac Cat's Eye Labelled HOB White           |
| MESWCI           | Intermediate Switch Mechanism 10AX 250V ac Cat's Eye White          |
| MESWCDP          | Double Pole Switch Mechanism 10AX 250V ac Cat's Eye White           |
| MESWCBPR         | Switch Mechanism Bell Press Return 10AX 16A 250V ac Cat's Eye White |
| MESWC3           | Switch Mechanism 3-Position 10AX 250V ac Cat's Eye White            |

- For colours and finishes see Meerkat Rocker Matrix on following pages.
- Colours available: White (Standard), Black (BK), Matt White (MW), Matt Black (MBK) and Silver (SV). Check for availability.

**The MEERKAT Switch Mechanism (MESWC) was previously (LESWM) and is universal to all Snow Leopard, Clouded Leopard, Leopard and Cheetah switch plates.**

SNOW LEOPARD CLOUDED LEOPARD LEOPARD

#### Certification Number:

MESWC: GMA-103194-EA-011 /  
 MESW32C: GMA-508325 / GMA-501682 / GMA-507879-EA

**GSM Electrical (Australia) Pty Ltd**  
 Level 2, 142-144 Fullarton Road, Rose Park SA 5067  
 P: 1300 301 838 | E: service@gsm.com.au  
 www.gsm.com.au



## Cat's Eye Range of Rocker Switch Mechanisms

SNOW LEOPARD



CLOUDED LEOPARD



LEOPARD



| PART NO. |             |                                               | DESCRIPTION                                                    | SNOW LEOPARD | CLOUDED LEOPARD | LEOPARD | FLAT CAT | PUMA | COUGAR |
|----------|-------------|-----------------------------------------------|----------------------------------------------------------------|--------------|-----------------|---------|----------|------|--------|
|          | MESWC       | ALL GREEN BASED MECHS ARE 16AX/20AMP STANDARD | Switch Mechanism 16AX/20A 250V~                                | ✓            |                 | ✓       |          |      |        |
|          | MESWCBK     |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye Black                | ✓            |                 | ✓       |          |      |        |
|          | MESWCMW     |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye Matt White           |              | ✓               |         |          |      |        |
|          | MESWCMBK    |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye, Matt Black          |              | ✓               |         |          |      |        |
|          | MESWCSV     |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye Silver               | ✓            |                 |         |          |      |        |
|          | MESWCFAN    |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye (Labelled Fan)       | ✓            |                 | ✓       |          |      |        |
|          | MESWCHEAT   |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye (Labelled Heat)      | ✓            |                 | ✓       |          |      |        |
|          | MESWCLIGHT  |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye (Labelled Light)     | ✓            |                 | ✓       |          |      |        |
|          | MESW32C     |                                               | Switch Mechanism 32A 250V~ Cat's Eye                           | ✓            |                 | ✓       |          |      |        |
|          | MESW32CBK   |                                               | Switch Mechanism 32A 250V~ Cat's Eye Black                     | ✓            |                 | ✓       |          |      |        |
|          | MESW32CMW   |                                               | Switch Mechanism 32A 250V~ Cat's Eye, Matt White               |              | ✓               |         |          |      |        |
|          | MESW32CMBK  |                                               | Switch Mechanism 32A 250V~ Cat's Eye, Matt Black               |              | ✓               |         |          |      |        |
|          | MESW32CSV   |                                               | Switch Mechanism 32A 250V~ Cat's Eye, Silver                   | ✓            |                 |         |          |      |        |
|          | MESW32COVEN |                                               | Switch Mechanism 32A 250V~ Cat's Eye (Labelled Oven)           | ✓            |                 | ✓       |          |      |        |
|          | MESW32CHOB  |                                               | Switch Mechanism 32A 250V~ Cat's Eye (Labelled HOB)            | ✓            |                 | ✓       |          |      |        |
|          | MESWCI      |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye             | ✓            |                 | ✓       |          |      |        |
|          | MESWCIBK    |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye Black       | ✓            |                 | ✓       |          |      |        |
|          | MESWCIMW    |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye, Matt White |              | ✓               |         |          |      |        |
|          | MESWCIMBK   |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye, Matt Black |              | ✓               |         |          |      |        |
|          | MESWCISV    |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye Silver      | ✓            |                 |         |          |      |        |
|          | MESWCDP     |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye              | ✓            |                 | ✓       |          |      |        |
|          | MESWCDPBK   |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye, Black       | ✓            |                 | ✓       |          |      |        |
|          | MESWCDPMW   |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye, Matt White  |              | ✓               |         |          |      |        |
|          | MESWCDPMBK  |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye, Matt Black  | ✓            | ✓               |         |          |      |        |
|          | MESWCDPSV   |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye Silver       | ✓            |                 |         |          |      |        |

## Cat's Eye Range of Rocker Switch Mechanisms

SNOW LEOPARD



CLOUDED LEOPARD



LEOPARD



| PART NO. |             |                                               | DESCRIPTION                                                    | SNOW LEOPARD | CLOUDED LEOPARD | LEOPARD | FLAT CAT | PUMA | COUGAR |
|----------|-------------|-----------------------------------------------|----------------------------------------------------------------|--------------|-----------------|---------|----------|------|--------|
|          | MESWC       | ALL GREEN BASED MECHS ARE 16AX/20AMP STANDARD | Switch Mechanism 16AX/20A 250V~                                | ✓            |                 | ✓       |          |      |        |
|          | MESWCBK     |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye Black                | ✓            |                 | ✓       |          |      |        |
|          | MESWCMW     |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye Matt White           |              | ✓               |         |          |      |        |
|          | MESWCMBK    |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye, Matt Black          |              | ✓               |         |          |      |        |
|          | MESWCSV     |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye Silver               | ✓            |                 |         |          |      |        |
|          | MESWCFAN    |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye (Labelled Fan)       | ✓            |                 | ✓       |          |      |        |
|          | MESWCHEAT   |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye (Labelled Heat)      | ✓            |                 | ✓       |          |      |        |
|          | MESWCLIGHT  |                                               | Switch Mechanism 16AX/20A 250V~ Cat's Eye (Labelled Light)     | ✓            |                 | ✓       |          |      |        |
|          | MESW32C     |                                               | Switch Mechanism 32A 250V~ Cat's Eye                           | ✓            |                 | ✓       |          |      |        |
|          | MESW32CBK   |                                               | Switch Mechanism 32A 250V~ Cat's Eye Black                     | ✓            |                 | ✓       |          |      |        |
|          | MESW32CMW   |                                               | Switch Mechanism 32A 250V~ Cat's Eye, Matt White               |              | ✓               |         |          |      |        |
|          | MESW32CMBK  |                                               | Switch Mechanism 32A 250V~ Cat's Eye, Matt Black               |              | ✓               |         |          |      |        |
|          | MESW32CSV   |                                               | Switch Mechanism 32A 250V~ Cat's Eye, Silver                   | ✓            |                 |         |          |      |        |
|          | MESW32COVEN |                                               | Switch Mechanism 32A 250V~ Cat's Eye (Labelled Oven)           | ✓            |                 | ✓       |          |      |        |
|          | MESW32CHOB  |                                               | Switch Mechanism 32A 250V~ Cat's Eye (Labelled HOB)            | ✓            |                 | ✓       |          |      |        |
|          | MESWCI      |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye             | ✓            |                 | ✓       |          |      |        |
|          | MESWCIBK    |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye Black       | ✓            |                 | ✓       |          |      |        |
|          | MESWCIMW    |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye, Matt White |              | ✓               |         |          |      |        |
|          | MESWCIMBK   |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye, Matt Black |              | ✓               |         |          |      |        |
|          | MESWCISV    |                                               | Intermediate Switch Mechanism 10AX 250V~ Cat's Eye Silver      | ✓            |                 |         |          |      |        |
|          | MESWCDP     |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye              | ✓            |                 | ✓       |          |      |        |
|          | MESWCDPBK   |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye, Black       | ✓            |                 | ✓       |          |      |        |
|          | MESWCDPMW   |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye, Matt White  |              | ✓               |         |          |      |        |
|          | MESWCDPMBK  |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye, Matt Black  | ✓            | ✓               |         |          |      |        |
|          | MESWCDPSV   |                                               | Double Pole Switch Mechanism 10AX 250V~ Cat's Eye Silver       | ✓            |                 |         |          |      |        |