

Replacement Parts

*See Vintage catalogue for further detail



**Scan to view Replacement
Parts Catalogue Pages**

Includes all product codes and Images.

**PLEASE NOTE all SKUs
are MADE TO ORDER
within 5 business days,
subject to availability.**

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Inner Covers, Inner Covers with Mechanisms and Porcelain

Inner Cover Only



C10INCOV

Suitable for
10 Series



C30INCOV

Suitable for
20, 25 & 30 Series



C31INCOV

Suitable for
31GA Series



C55INCOV

Suitable for
45, 55, 85
& Bakelite Series

Inner Cover + Mechanism



C10SWMPB

Suitable for
10 Series



C30SWMPB

Suitable for
20, 25 & 30 Series



C55SWMPB

Suitable for
45, 55 & 85 Series



C55SWMSQWH


Suitable for
45, 55, 85
& Bakelite Series



C55SWMSQBR

Suitable for
45, 55, 85
& Bakelite Series

- Switch - 20A/16AX
- Available in all 12 finishes.
PB - Polished Brass
PBM - Polished Brass Matt
CH - Chrome
SC - Satin Chrome
AB - Antique Brass
ABM - Antique Brass Matt
BB - Black Bronze
BBM - Black Bronze Matt
FB - Florentine Bronze
FBM - Florentine Bronze Matt
NB - Non-Relieved Bronze
NBM - Non-Relieved Bronze Matt



Porcelain



C20PBWH

Suitable for
20 & 25 Series



C20PBBK

Suitable for
20 & 25 Series



C30PBWH

Suitable for
30 & 31GA Series



C30PBBK

Suitable for
30 & 31GA Series



GSM Electrical (Australia) Pty Ltd
5-9 Rundle Street, Kent Town SA 5067
P: 1300 301 838 E: vintage@gsm.com.au
www.gsm.com.au



Data Specification Sheet
May 2025

31GA Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 31GA Series Catalogue Pages

Includes all product codes and Images.



Scan to view 31GA Series Selection form

Includes all product codes and descriptions


Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Grid Assembly Only with Shallow Cover Smooth and Deep Porcelain Base Range

- 58 Diameter, 18mm High Porcelain Base, 55mm Total Height.
- Classic Mounting blocks are suited for installation - purchased separately.
- Available in all 12 finishes.

PB - Polished Brass
PBM - Polished Brass Matt
CH - Chrome
SC - Satin Chrome
AB - Antique Brass
ABM - Antique Brass Matt
BB - Black Bronze
BBM - Black Bronze Matt
FB - Florentine Bronze
FBM - Florentine Bronze Matt
NB - Non-Relieved Bronze
NBM - Non-Relieved Bronze Matt




- 31GA Series DOES NOT come pre-populated, Mechanisms are sold separately.

Mechanisms suited for 31GA Series:

Catalogue Number	Description
MESWBPR	Switch Mechanism Bell Press Return 10AX/16A 250V
MESWBPRBK	Switch Mechanism Bell Press Return 10AX/16A 250V Black
MESWBPRMBK	Switch Mechanism Bell Press Return 10AX/16A 250V Matt Black
MESW32OVEN	Switch Mechanism 32A 250V Labelled OVEN
MESW32OVENBK	Switch Mechanism 32A 250V Labelled OVEN Black
MESW32HOB	Switch Mechanism 32A 250V Labelled HOB
MESW32HOB BK	Switch Mechanism 32A 250V Labelled HOB Black
MESW32HOBMBK	Switch Mechanism 32A 250V Labelled HOB Matt Black
MESW3SOO	Switch Mechanism 3 Position 10AX 16A 250V Labelled SENSOR OFF ON
MESW3SOOBK	Switch Mechanism 3 Position 10AX 16A 250V Labelled SENSOR OFF ON Black
MESW3SOOMBK	Switch Mechanism 3 Position 10AX 16A 250V Labelled SENSOR OFF ON Matt Black
MESW3AOM	Switch Mechanism 3 Position 10AX 16A 250V Labelled AUTO OFF MAN
MESW3AOMBK	Switch Mechanism 3 Position 10AX 16A 250V Labelled AUTO OFF MAN Black
MESW3AOMMBK	Switch Mechanism 3 Position 10AX 16A 250V Labelled AUTO OFF MAN Matt Black
MERJ6CM	Data Outlet Clipin Mechanism Cat 6
MERJ45PH8P4C	RJ45 Cat 3 Phone Jack
MERJ45PH8P4C	RJ45 Cat 3 Phone Jack
METVFFCMFX	TV Socket F to F Type Connection Modular Clip Foxtel Approved
METVFPCM	TV Socket F Type to PAL Modular Clip



Scan to view
Meerkat Data
Sheets



Certification Number:

All 31GA Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

5-9 Rundle Street, Kent Town SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

CLASSIC Mounting Block Series

*See Vintage catalogue for further detail



**PLEASE NOTE all SKUs
are MADE TO ORDER
within 5 business days,
subject to availability.**



**Scan to view Classic
Mounting Block Series
Catalogue Pages**

Includes all product codes and Images.



**Scan to view Classic
Mounting Block Series
Selection form**

Includes all product codes
and descriptions


Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Mounting Blocks

- Suitable for all Vintage series, apart from 10 Series.
- Pre-Drilled
- Available in Pine, Cedar and Undercoat.

MOUNTING BLOCK PROFILES



Classic Mounting Block Include:

- 1 Gang Round (88mm) CBLOCK1G (P / C / UC) RO
- 1 Gang Square (90mm x 90mm) CBLOCK1G (P / C / UC) S
- 1 Gang Oblong (90mm x 155mm) CBLOCK1G (P / C / UC) R
- 2 Gang Oblong (90mm x 155mm) (to suit dimmer) CBLOCK2G (P / C / UC) RDIMR
- 2 Gang Oblong (90mm x 155mm) CBLOCK2G (P / C / UC) R
- 3 Gang Oblong (90mm x 225mm) CBLOCK3G (P / C / UC) R
- 4 Gang Oblong (90mm x 280mm) CBLOCK4G (P / C / UC) R
- 4 Gang Square (155mm x 155mm) CBLOCK4G (P / C / UC) S
- 2 Gang Oval (110mm x 156mm) CBLOCK2G (P / C / UC) O
- 1 Gang Round (115mm) CBLOCK1G (P / C / UC) ROL
- Oblong (150mm x 107mm) CBLOCK1G (P / C / UC) R84MC
- 6 Gang Oblong (155mm x 220mm) CBLOCK6G (P / C / UC) R



GSM Electrical (Australia) Pty Ltd
5-9 Rundle Street, Kent Town SA 5067
P: 1300 301 838 E: vintage@g sme.com.au
www.gsme.com.au



Data Specification Sheet
November 2023