

## Fan Controllers

\*See Vintage catalogue for further detail



**PLEASE NOTE all SKUs  
are MADE TO ORDER  
within 5 business days,  
subject to availability.**

### Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

## Vintage Fan Controllers

- Fan Controllers are available in 10, 20, 25, 30, 45, 55, 85 & Bakelite Series.
- Traders Meerkat MEFC is standard with Vintage Range but MEFC2 also fit.
- Fan Controller Knobs come in 7 finishes to suit all 12 Vintage finishes - available separately.
- Standard Trader Fan Controller knobs DO NOT fit Vintage Fan Controller assemblies.
- Fan Controller with Inner Covers available separately for 10, 20, 25, 30, 45, 55 85 & Bakelite Series.



C10FC3

Suitable for  
10 Series



C30FC3

Suitable for  
20, 25 & 30 Series



C55FC3

Suitable for  
45, 55, 85  
& Bakelite Series

## Fan Controller Knobs

| White      | Black       | Matt Black   | Brown      | Polished Brass | Chrome     | Satin Chrome |
|------------|-------------|--------------|------------|----------------|------------|--------------|
|            |             |              |            |                |            |              |
| CDIMRKNRWH | CDIMRKNRBLK | CDIMRKNRBLKM | CDIMRKNRBR | CDIMRKNRPB     | CDIMRKNRCH | CDIMRKNRSC   |



**Porcelain Base Ranges  
20, 25 & 30 Series**



**No Porcelain Base Ranges  
45, 55, 85 & Bakelite Series**



**Square Flat Range  
10 Series**

## 85 Series

\*See Vintage catalogue for further detail



**PLEASE NOTE all SKUs  
are MADE TO ORDER  
within 5 business days,  
subject to availability.**



### Scan to view 85 Series Catalogue Pages

Includes all product codes and Images.



### Scan to view 85 Series Selection form

Includes all product codes  
and descriptions

#### Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.


## Deep Smooth for Federation Range

- Federation style, popular from 1890 to 1951, characterised by red brick, stained glass, verandahs, tessellated tiles, and pressed-metal ceilings.
- 53 Diameter, 35mm High.
- Classic Mounting blocks are suited for installation - purchased separately.



- Available in all 12 finishes.


PB - Polished Brass  
PBM - Polished Brass Matt  
CH - Chrome  
SC - Satin Chrome  
AB - Antique Brass  
ABM - Antique Brass Matt  
BB - Black Bronze  
BBM - Black Bronze Matt  
FB - Florentine Bronze  
FBM - Florentine Bronze Matt  
NB - Non-Relieved Bronze  
NBM - Non-Relieved Bronze Matt



- White Square and Brown Square Toggle also available.

### 85 Series Accessories include:

- Switch - 20A/16AX
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- TV Socket - F to Pal Type
- Pay TV Socket - F to F Type Foxtel Approved
- Data Socket - Cat 6
- Phone Socket - RJ45 Cat 3
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
  - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



#### Certification Number:

**All 85 Series Switches:** GMA-514156-EA, GMA-514735-EA

#### GSM Electrical (Australia) Pty Ltd

5-9 Rundle Street, Kent Town SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet  
November 2023

## CLASSIC Mounting Block Series

\*See Vintage catalogue for further detail



**PLEASE NOTE all SKUs  
are MADE TO ORDER  
within 5 business days,  
subject to availability.**



**Scan to view Classic  
Mounting Block Series  
Catalogue Pages**

Includes all product codes and Images.



**Scan to view Classic  
Mounting Block Series  
Selection form**

Includes all product codes  
and descriptions

### Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

## Mounting Blocks

- Suitable for all Vintage series, apart from 10 Series.
- Pre-Drilled
- Available in Pine, Cedar and Undercoat.

### MOUNTING BLOCK PROFILES



### Classic Mounting Block Include:

- 1 Gang Round (88mm) CBLOCK1G (P / C / UC) RO
- 1 Gang Square (90mm x 90mm) CBLOCK1G (P / C / UC) S
- 1 Gang Oblong (90mm x 155mm) CBLOCK1G (P / C / UC) R
- 2 Gang Oblong (90mm x 155mm) (to suit dimmer) CBLOCK2G (P / C / UC) RDIMR
- 2 Gang Oblong (90mm x 155mm) CBLOCK2G (P / C / UC) R
- 3 Gang Oblong (90mm x 225mm) CBLOCK3G (P / C / UC) R
- 4 Gang Oblong (90mm x 280mm) CBLOCK4G (P / C / UC) R
- 4 Gang Square (155mm x 155mm) CBLOCK4G (P / C / UC) S
- 2 Gang Oval (110mm x 156mm) CBLOCK2G (P / C / UC) O
- 1 Gang Round (115mm) CBLOCK1G (P / C / UC) ROL
- Oblong (150mm x 107mm) CBLOCK1G (P / C / UC) R84MC
- 6 Gang Oblong (155mm x 220mm) CBLOCK6G (P / C / UC) R



**GSM Electrical (Australia) Pty Ltd**  
5-9 Rundle Street, Kent Town SA 5067  
P: 1300 301 838 E: vintage@g sme.com.au  
[www.gsme.com.au](http://www.gsme.com.au)



Data Specification Sheet  
November 2023