



# MOULDED AND METAL SWITCH BOARDS

Purpose built for our circuit protection range, Wolverine switchboards deliver class leading protection and features for your next install.


Choose between indoor, outdoor and outdoor metal switchboards. Each board has a 100A rated assembly, neutral link and parts pack with 80A rated busbar, labels and pole fillers.

Ample cable entries and mounting options also built-in.

When you need a board up to the job, get the job done with Wolverine.

**WOLVERINE** 

## WOLVERINE INDOOR SWITCHBOARD FEATURES INCLUDE:




**100A RATED ASSEMBLY**




**COMPACT HINGE  
DOOR DESIGN**



**IP40 INDOOR RATING STANDS  
FROM THE FRONT**



**IMPACT PROTECTION IK05**



**NEUTRAL LINK  
RATING: 100A**



**PARTS PACK**


## WOLVERINE OUTDOOR SWITCHBOARD FEATURES INCLUDE:




**IK05 IMPACT  
PROTECTION RATING**



**RECESSED GASKETS IN  
FASCIA AND BACKBOX**



**100A RATED ASSEMBLY WITH  
NEUTRAL & EARTH BARS**



**DOUBLE ROWS OF SCREWS  
ON LINK BARS**



**REINFORCED MOUNTS**



**PARTS PACK**

## WOLVERINE OUTDOOR METAL SWITCHBOARD FEATURES INCLUDE:



**STEEL CONSTRUCTION  
IK07 IMPACT RATING**



**IP65 WEATHER  
PROTECTION**



**LOCKABLE WITH  
PADLOCK**

## Indoor Switchboards

- IP40 rated from the front surface when mounted to AS 60529.
- Ipk: 17kA for the enclosure assembly.
- Mechanical impact protection: IK05
- Class 2 assembly.
- 100A rated assembly and contains Neutral and Earth bars with single row of screws.
- Rated voltage (Un): 415V
- Rated operational voltage (Ue): 415V
- Rated insulation voltage (Ui): 1000V
- Rated impulse withstand voltage of assembly (Uimp):4000V



### WOSB8

Switchboard Surface Mount  
8 Way 100A415V ac IP40  
with White Door for Indoor Use



### WOSB12

Switchboard Surface Mount  
12 Way 100A 415V ac IP40  
with White Door for Indoor Use



### WOSB18

Switchboard Surface Mount  
18 Way 100A 415V ac IP40  
with White Door for Indoor Use



### WOSB24

Switchboard Surface Mount  
24 Way 100A 415V ac IP40  
with White Door for Indoor Use

## Outdoor Switchboards

- IP65 rated from the front surface when mounted to AS 60529.
- Ipk: 17kA for the enclosure assembly.
- Mechanical impact protection: IK05
- Class 2 assembly.
- 100A rated assembly and contains Neutral and Earth bars with double rows of screws.
- Rated voltage (Un): 415V
- Rated operational voltage (Ue): 415V
- Rated insulation voltage (Ui): 1000V
- Rated impulse withstand voltage of assembly (Uimp):4000V



### WOSBWP9

Switchboard Surface Mount  
Weatherproof 9 Way 100A 415V ac  
IP65 with Transparent Grey Door  
for Outdoor Use



### WOSBWP12

Switchboard Surface Mount  
Weatherproof 12 Way 100A 415V ac  
IP65 with Transparent Grey Door  
for Outdoor Use



### WOSBWP18

Switchboard Surface Mount  
Weatherproof 18 Way 100A 415V ac  
IP65 with Transparent Grey Door  
for Outdoor Use



### WOSBWP24

Switchboard Surface Mount  
Weatherproof 24 Way 100A 415V ac  
IP65 with Transparent Grey Door  
for Outdoor Use

## Outdoor Metal Switchboards

- IP65 rated from the front surface when mounted to AS 60529.
- Ipk: 17kA for the enclosure assembly.
- Mechanical impact protection: IK07
- Class 2 assembly.
- 100A rated assembly and contains Neutral and Earth bars with single row of screws.
- Rated voltage (Un): 415V
- Rated operational voltage (Ue): 415V
- Rated insulation voltage (Ui): 1000V
- Rated impulse withstand voltage of assembly (Uimp):4000V



### WOSBWPM5

Switchboard Surface Mount  
Weatherproof Metal 5 Way 100A  
415V ac IP65 Grey



### WOSBWPM10

Switchboard Surface Mount  
Weatherproof Metal 10 Way 100A  
415V ac IP65 Grey

# WOLVERINE



100 Years of Gerard Electrical Tradition

## 1300 301 838

[service@gsme.com.au](mailto:service@gsme.com.au)

[gsme.com.au](http://gsme.com.au)

