

**PUPP1GVP**  
**PUPP151GVP**  
**PUPP201GVP**

\*See current catalogue for further detail

**Cleaning Guide:**

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



## Puma Vandal Proof Range of Single Power Points

- Power points approved to AS/NZS3112
- Power points have Shutters and are Double Pole
- Oval screw caps for extra adjustment on wall (no removable cover)
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Power point terminals have 5.7mm bore to suit 4 x 2.5mm<sup>2</sup> cable
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres
- Plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Shutter operates from either earth or neutral
- PUPP1GVP Impact rating IK09 to IEC62262:2002.
- Standard colour is white. Black also stocked - please check availability.
- Typical example of size seen below:



Catalogue Number	Description
PUPP1GVP	Power Point Switched 1 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF
PUPP151GVP	Power Point Switched 1 Gang, 15A 250V~ Shuttered, Double Pole, VANDAL PROOF
PUPP201GVP	Power Point Switched, 1 Gang, 20A 250V~ Shuttered, Double Pole VANDAL PROOF

When ordering BLACK product add "BK" at end of catalogue number, ie PUPP1GVPBK

**Certification Number:** GMA-506913-EA  
PUPP201GVP: GMA-511870-EA

**GSM Electrical (Australia) Pty Ltd**  
Level 2, 142-144 Fullarton Road, Rose Park SA 5067  
P: 1300 301 838 F: 1300 301 778 E: service@gsm.com.au  
[www.gsm.com.au](http://www.gsm.com.au)



**PUPP2GVP**  
**PUPP2GVPBK**  
**PUPP2GVPBU**  
**PUPP2GVPRD**  
**PUPP2GVPTR**  
**PUPPSW2GVP**  
**PUPP152GVP**

\*See current catalogue for further detail

**Cleaning Guide:**

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.


Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.

## Puma Vandal Proof Range of Double Power Points

- Power points have Shutters and are Double Pole.
- Oval screw caps for extra adjustment on wall (no removable cover).
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Power point terminals have 5.7mm bore to suit 4 x 2.5mm<sup>2</sup> cable.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Power points achieve IK09 to IEC62262:2002.
- Standard colour is white. Also available in Black, Red and Blue. Please check availability.
- Shutter operates from either earth or neutral
- Power points approved to AS/NZS3112.
- Typical example of size seen below:



Catalogue Number	Description
PUPP2GVP	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF
PUPP2GVPBK	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF, Black
PUPP2GVPBU	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF, Blue
PUPP2GVPRD	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF, Red
PUPP2GVPTR	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF, Transparent
PUPPSW2GVP	Power Point Switched 2 Gang 10A 250V~ With Extra Double Pole Switch 10AX/16A, VANDAL PROOF
PUPP151GVP	Power Point Switched 1 Gang, 15A 250V~ Shuttered, Double Pole, VANDAL PROOF
PUPP152GVP	Power Point Switched 2 Gang, 15A 250V~ Shuttered, Double Pole, VANDAL PROOF

When ordering BLACK product add "BK" at end of catalogue number, ie PUPP2GVPBK

**Certification Number:** GMA-505204-EA

**GSM Electrical (Australia) Pty Ltd**

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 F: 1300 301 778 E: service@gsme.com.au

[www.gsme.com.au](http://www.gsme.com.au)



Data Specification Sheet  
January 2025



## PUPP2GVPTR

\*See current catalogue for further detail

### Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.




# Power Point Switched 2 Gang Double Pole Shuttered 10A 250V~ Vandal Proof Transparent

- Power points have Shutters and are Double Pole.
- Oval screw caps for extra adjustment on wall (no removable cover).
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Power point terminals have 5.7mm bore to suit 4 x 2.5mm<sup>2</sup> cable.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Shutter operates from either earth or neutral
- Power points approved to AS/NZS3112.
- Typical example of size seen below:



Front

Back



Catalogue Number	Description
PUPP2GVPTR	Power Point Switched 2 Gang, 10A 250V~ Shuttered, Double Pole, VANDAL PROOF, Transparent

**Certification Number:** GMA-505204-EA

**GSM Electrical (Australia) Pty Ltd**

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 F: 1300 301 778 E: service@g sme.com.au

[www.g sme.com.au](http://www.g sme.com.au)



Data Specification Sheet  
October 2022

**PUPPUSB2GACVP**  
**PUPPUSB2GACVPD**

**Cleaning Guide:**

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.


Do not wash the cover plates in water over 60°C.




## Puma Vandal Proof Range of USBs

- Suitable for USB Type A and Type C applications up to 3 Amp at 5V.
- Ideal for phones that utilise USB Type C connections.
- Not suitable for lap tops or other devices requiring greater output than 3 Amp at 5V.
- USB outlet approved to AS/NZS 60950.1
- Electrical power point approved to AS/NZS 3112
- The overall electronic assembly rating is 3.4A at 5V; it then divides the output when devices are inserted in each USB socket.
- PUPPUSB2GACVP has shuttered USB sockets.
- Single Pole, 10A 250V~ Electrical Switched power points.
- PUPPUSB2GACVPD power points are double pole.
- Shuttered Electrical Switched power points.
- Fits standard wall boxes and mounting accessories.
- Full cover plate.
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- Shutter operates from either earth or neutral
- Standard colour is white. Black also stocked - please check availability.

**PUPPUSB2GACVP**



**PUPPUSB2GACVPD**



Catalogue Number	Description
PUPPUSB2GACVP	Power Point, Fully Integrated Dual USB Charger Single Pole (Type A & C) Shuttered
PUPPUSB2GACVPD	Power Point Switched 2 Gang 10A 250V Double Pole Shuttered with USB Charger Dual Integrated Type A and C 5V 1.7A 3.4A Vandal Proof with Non-removable Cover White

When ordering BLACK product add "BK" at end of catalogue number, ie PUPPUSB2GACVPBK

**Certification Number:**

PUPPUSB2GACVP: GMA-508273-EA  
PUPPUSB2GACVPD : GMA-508618-EA

**GSM Electrical (Australia) Pty Ltd**

Level 2, 142-144 Fullarton Road, Rose Park SA 5067  
P: 1300 301 838 F: 1300 301 778 E: service@g sme.com.au  
[www.g sme.com.au](http://www.g sme.com.au)



**Vertical Switches**

**PUSWV1GVP**  
**PUSWV2GVP**  
**PUSWV3GVP**  
**PUSWV4GVP**  
**PUSWV5GVP**  
**PUSWV6GVP**

**Horizontal Switches**

**PUSW1GVP**  
**PUSW2GVP**  
**PUSW3GVP**  
**PUSW4GVP**  
**PUSW5GVP**  
**PUSW6GVP**

**Switch Plates (Less Mechs)**

**PUSWPV1GVP**  
**PUSWPV2GVP**  
**PUSWPV3GVP**  
**PUSWPV4GVP**  
**PUSWPV5GVP**  
**PUSWPV6GVP**  
**PUSWPVXGVP**

\*See current catalogue for further detail

**Cleaning Guide:**

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.

Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



## Puma Vandal Proof Range of Switch Plates


- Switches approved to AS/NZS3133.
- Switches are rated 10AX/16A 250V~ and approved to AS/NZS3133.
- Mech back-up security screws on rear of installed mechs.
- Less Mech plates require security screws (HYSCREWS) to be supplied separately
- Oval screw caps for extra adjustment on wall (no removable cover).
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Switches are two way with looping terminal and suit 4 x 1.5mm<sup>2</sup> cabling with 4.1 bore
- Slotted head screws for the terminals.
- Plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow.
- PUSW1GVP to PUSW3GVP Impact rating IK08 to IEC62262:2002.
- PUSW4GVP to PUSW6GVP Impact rating IK07 to IEC62262:2002
- Standard colour is white. Black also stocked - please check availability.
- Plates suit Trader Meerkat MESW mechs, including TV and Data; and Clipsal 30 Style\* mechs and accessories.
- Typical example of size seen below:



Example of cover plate only / grid and plate only (less mech)



Example of cover plate with MERJ6CM data mech installed



Catalogue No.	Description
PUSWV1GVP	Switch Vertical 1 Gang 10AX/16A 250V VANDAL PROOF
PUSWV2GVP	Switch Vertical 2 Gang 10AX/16A 250V VANDAL PROOF
PUSWV3GVP	Switch Vertical 3 Gang 10AX/16A 250V VANDAL PROOF
PUSWV4GVP	Switch Vertical 4 Gang 10AX/16A 250V VANDAL PROOF
PUSWV5GVP	Switch Vertical 5 Gang 10AX/16A 250V VANDAL PROOF
PUSWV6GVP	Switch Vertical 6 Gang 10AX/16A 250V VANDAL PROOF
PUSW1GVP	Switch Horizontal 1 Gang 10AX/16A 250V VANDAL PROOF
PUSW2GVP	Switch Horizontal 2 Gang 10AX/16A 250V VANDAL PROOF
PUSW3GVP	Switch Horizontal 3 Gang 10AX/16A 250V VANDAL PROOF
PUSW4GVP	Switch Horizontal 4 Gang 10AX/16A 250V VANDAL PROOF
PUSW5GVP	Switch Horizontal 5 Gang 10AX/16A 250V VANDAL PROOF
PUSW6GVP	Switch Horizontal 6 Gang 10AX/16A 250V VANDAL PROOF
PUSWPVXGVP	Blank Plate, VANDAL PROOF

Catalogue No.	Description
PUSWPV1GVP	Switch Plate Vertical 1 Gang (Less Mech) VANDAL PROOF
PUSWPV2GVP	Switch Plate Vertical 1 Gang (Less Mech) VANDAL PROOF
PUSWPV3GVP	Switch Plate Vertical 2 Gang (Less Mech) VANDAL PROOF
PUSWPV4GVP	Switch Plate Vertical 3 Gang (Less Mech) VANDAL PROOF
PUSWPV5GVP	Switch Plate Vertical 4 Gang (Less Mech) VANDAL PROOF
PUSWPV6GVP	Switch Plate Vertical 5 Gang (Less Mech) VANDAL PROOF

The above catalogue numbers where "P" appears in number, refers to Cover Plate Only / Grid and Plate only (less mech)

When ordering BLACK product add "BK" at end of catalogue number, ie PUSWPV2GVPBK

\*The Clipsal brand and associated products are Trademarks of Schneider Electric (Australia) Pty Ltd.

GSM Electrical (Australia) Pty Ltd, the TRADER brand and it's products, have no endorsement or affiliation with Schneider Electric Pty Ltd.



**Certification Number:** GMA-508434-EA

**GSM Electrical (Australia) Pty Ltd**

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 F: 1300 301 778 E: service@gsm.com.au

[www.gsm.com.au](http://www.gsm.com.au)

**PUSWVA1GVP**  
**PUSWVA2GVP**

\*See current catalogue for further detail

**Cleaning Guide:**

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



**Puma Vandal Proof Range of Architrave Switches**

- Switches are rated 10AX/16A 250V~ and approved to AS/NZS60669-1
- Uses brass tunnel terminals that have the screws backed out for easier installation of cabling. Switches are two way with looping terminal and suit 4 x 1.5mm<sup>2</sup> cabling with 4.1mm bore
- Slotted head screws for the terminals
- Covers, plates and dollies are made from UV stabilised polycarbonate to avoid discolouring to yellow
- Standard colour is white. Black also stocked - please check availability.
- Typical example of size seen below:



Catalogue Number	Description
PUSWVA1GVP	Switch Vertical Architrave 1 Gang 10AX/16A 250V ac Vandal Proof
PUSWVA2GVP	Switch Vertical Architrave 2 Gang 10AX/16A 250V ac Vandal Proof

When ordering BLACK product add "BK" at end of catalogue number, ie PUSWVA1GVPBK



**MEERKAT Switch Mechanisms** are used for all switch plates. Please refer to Meerkat Mech Matrix for range compatibility.

Certification Number: GMA-508434-EA

**GSM Electrical (Australia) Pty Ltd**  
Level 2, 142-144 Fullarton Road, Rose Park SA 5067  
P: 1300 301 838 F: 1300 301 778 E: service@gsm.com.au  
[www.gsm.com.au](http://www.gsm.com.au)



## PUPANG2GVP

Switch Plates (Less Mechs)

\*See current catalogue for further detail

### Cleaning Guide:

Spraying cleaning products directly on to electrical switches or power points (sockets) is not recommended.

It is important to ensure that switches are turned off before cleaning.

Do not use any cleaning sprays - only wipe down with damp cloth or rub with dry cloth. Do not use an abrasive cloth as it may scratch the plastic.


Do not use harsh chemical cleaners as these can break down the plastic and cause it to crack.

Do not wash the cover plates in water over 60°C.



## Puma Vandal Proof 2 Gang Plate with Angled Entries for Data Mechs

- Ideal for restricted cabling space applications (data, phone, HDMI, TV etc.)
- Back-up security screws for switch mechs
- Oval screw caps for extra adjustment on wall.
- Fits standard Australian wall boxes and mounting accessories with 84mm mounting centres.
- Plates suit Trader Meerkat MESW mechs, including TV and Data; and Clipsal 30 Style\* mechs and accessories.
- Sold as blank plates.
- Standard colour is white.
- Typical example of size seen below:



Example of cover plate with MERJ6CM data mech installed

Catalogue Number	Description
PUPANG2GVP	Plate Only Horizontal 2 Gang Angled Entries from Side for Data Mechs Vandal Proof

\*The Clipsal brand and associated products are Trademarks of Schneider Electric (Australia) Pty Ltd.

GSM Electrical (Australia) Pty Ltd, the TRADER brand and it's products, have no endorsement or affiliation with Schneider Electric Pty Ltd.

**Certification Number:** GMA-508434-EA

**GSM Electrical (Australia) Pty Ltd**

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 F: 1300 301 778 E: service@gsme.com.au

[www.gsme.com.au](http://www.gsme.com.au)



Data Specification Sheet  
April 2023