## Features

- Glass touch surface.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Automatic schedules.
- Auto off timers.
- Power outage recovery.
- Power lock.
- Individual socket control.
- Night light on/off and auto dim.
- High energy use alert.
- Voice control with your favourite voice assistant. *
  Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Max Load Rating	Line Voltage Freq.
SENPP	White	Senoa Power Point Switched 2 Gang	10A @ 250V~ 2500W	50Hz Nominal
SENPPBK	Black			

Dimensions (mm)

124
81
10
84
Mounting hole - centres
48
10
33
73
33
73

Wiring Guide

EARTH
ACTIVE
NEUTRAL

SENPP

SENPPBK

Standards Approval:
AS/NZS 3112 & AS/NZS CISPR15

Certification Number:
GMA-511359-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play
Download on the App Store

***Zimi Cloud Connect**

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google
WORKS WITH alexa

SENOA

Dimmer
1 Button

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.

- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
  Press for on/off
  Hold for dimming
  Double press for full brightness
  Triple press for a timed fade to off.
- Real time energy usage in watts & dollars.

- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENDIM1	White	Senoa Dimmer 1 Button	230V~ 50Hz
SENDIM1BK	Black		

Load Type	Symbol	Dimmer rated load
LED drivers & lamps		250W
Incandescent		100W
Fluorescent		✕
Electronic transformers		✕
Standard iron core & toroidal transformers		✕
Small motors	M	✕

Dimensions (mm)

81
124
Dimmer
26
71
10
84
Mounting hole - centres
46

Wiring Guide

ACTIVE
NEUTRAL
NEUTRAL
LINE
DIMMER

SENDIM1

SENDIM1BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Google Home

works with alexa

zimi

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.

- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
  Press for on/off
  Hold for dimming
  Double press for full brightness
  Triple press for a timed fade to off.
- Real time energy usage in watts & dollars.

- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*

  Learn more at www.zimi.life

SENMDS2

SENMDS2BK

Specifications

Product Code	Colour	Description	Rating
SENMDS2	White	Senoa Multi Dimmer Switch 2 Button	230V~ 50Hz
SENMDS2BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load
LED drivers & lamps		250W	230W
Incandescent		100W	5A
Fluorescent		✕	2AX
Electronic transformers		✕	2A
Standard iron core & toroidal transformers		✕	2A
Small motors	M	✕	M.20

Dimensions (mm)

81
124
1 x Dimmer
1 x Switch

26
71
10
46
84 Mounting hole - centres

Wiring Guide

ACTIVE
NEUTRAL

NEUTRAL LINE DIMMER SWITCH

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play
Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google
WORKS WITH alexa

zimi

14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.

- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.

  Press for on/off
  Hold for dimming
  Double press for full brightness
  Triple press for a timed fade to off.

- Real time energy usage in watts & dollars.

- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*

  Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENMDS4	White	Senoa Multi Dimmer Switch 4 Button	230V~ 50Hz Max 10A Total
SENMDS4BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load
LED drivers & lamps		250W	230W
Incandescent		100W	5A
Fluorescent		✕	2AX
Electronic transformers		✕	2A
Standard iron core & toroidal transformers		✕	2A
Small motors	M	✕	M.20

Dimensions (mm)

81
124
2 x Dimmer
2 x Switch

26
71
10
84
46
Mounting hole - centres

Wiring Guide

ACTIVE
NEUTRAL
NEUTRAL LINE
1 2 1 2
DIMMER SWITCH

SENMDS4

SENMDS4BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play
Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google
WORKS WITH alexa

zimi

14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

SENOA

Multi Dimmer Switch
6 Button

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Ripple Smooth™ dimming technology.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.

- Trailing edge dimmer.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Touch dimming control.
  Press for on/off
  Hold for dimming
  Double press for full brightness
  Triple press for a timed fade to off.
- Real time energy usage in watts & dollars.

- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Min and max dimming levels for increased compatibility without flicker.
- Voice control with your favourite voice assistant.*

  Learn more at www.zimi.life

SENMDS6

SENMDS6BK

Specifications

Product Code	Colour	Description	Rating
SENMDS6	White	Senoa Multi Dimmer Switch 6 Button	230V~ 50Hz Max 10A Total
SENMDS6BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load	Spare Buttons
LED drivers & lamps		250W	230W	
Incandescent		100W	5A	
Fluorescent		✕	2AX	Behaviour Link
Electronic transformers		✕	2A	
Standard iron core & toroidal transformers		✕	2A	
Small motors	M	✕	M.20	

Dimensions (mm)

81
124

26
71
10

84
46
Mounting hole - centres

- 2 x Dimmer
- 2 x Switch
- 2 x Behaviour Link

Wiring Guide

ACTIVE
NEUTRAL

NEUTRAL · LINE · 1 · 2 · 1 · 2
DIMMER · SWITCH

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play
Download on the App Store

* Zimi Cloud Connect
Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google
WORKS WITH alexa

zimi
14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?
email **support@zimi.life**
visit **https://support.zimi.life**

SENOA

Multi Purpose Switch
1 Button

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENMPS1	White	Senoa Multi Purpose Switch 1 Button	230V~ 50Hz
SENMPS1BK	Black		

Load Type	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors	M	M.20

Dimensions (mm)

81
124
Switch
26
71
10
46
84 — Mounting hole - centres
SENOA

Wiring Guide

ACTIVE
NEUTRAL
LINE
1
SWITCH LOAD

SENMPS1

SENMPS1BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play
Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Google Home
works with alexa

zimi

14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

SENOA

Multi Purpose Switch
2 Button

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENMPS2	White	Senoa Multi Purpose Switch 2 Button	230V~ 50Hz Max 10A Total
SENMPS2BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors	M	M.20

Dimensions (mm)

81 — 124 — Switch — Switch

26 — 71 — 10 — 46 — 84 — Mounting hole - centres — SENOA

Wiring Guide

ACTIVE

NEUTRAL — LINE — 1 — 2 — SWITCH LOAD

SENMPS2

SENMPS2BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Google Home

works with alexa

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

| Product Code	Colour	Description	Rating
SENMPS4	White	Senoa Multi Purpose Switch 4 Button	230V~ 50Hz Max 10A Total
SENMPS4BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors	M	M.20

Dimensions (mm)

81
124
2 x Switch
2 x Switch

26
71
10
84
Mounting hole - centres
46

Wiring Guide

ACTIVE
NEUTRAL
NEUTRAL
LINE
1 2 3 4
SWITCH LOAD

SENMPS4

SENMPS4BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Google Home

works with alexa

SENOA

Multi Purpose Switch
6 Button

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENMPS6	White	Senoa Multi Purpose Switch 6 Button	230V~ 50Hz Max 10A Total
SENMPS6BK	Black		

Load Type per channel	Symbol	Switch rated load	Spare Buttons
LED drivers & lamps		230W	
Incandescent		5A	
Fluorescent		2AX	
Electronic transformers		2A	Behaviour Link
Standard iron core & toroidal transformers		2A	
Small motors	M	M.20	

Dimensions (mm)

81
124
2 x Switch
2 x Switch
2 x Behaviour Link
26
71
10
84
Mounting hole - centres
46

Wiring Guide

ACTIVE
NEUTRAL
NEUTRAL | LINE
1 2 3 4
SWITCH LOAD

SENMPS6

SENMPS6BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Google Home

works with alexa

zimi

14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

| Product Code	Colour	Description	Rating
SENMPS2	White	Senoa Multi Purpose Switch 2 Button	230V~ 50Hz Max 10A Total
SENMPS2BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors	M	M.20

Dimensions (mm)

81 · 124 · Switch · Switch

26 · 71 · 10 · 84 Mounting hole - centres · 46

Wiring Guide

ACTIVE

NEUTRAL · LINE · 1 · 2 · SWITCH LOAD

SENMPS2

SENMPS2BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

SENOA

Multi Purpose Switch
4 Button

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENMPS4	White	Senoa Multi Purpose Switch 4 Button	230V~ 50Hz Max 10A Total
SENMPS4BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors	M	M.20

Dimensions (mm)

81
124
2 x Switch
2 x Switch

26
71
10
46
84 — Mounting hole - centres

Wiring Guide

ACTIVE
NEUTRAL
NEUTRAL LINE
1 2 3 4
SWITCH LOAD

SENMPS4

SENMPS4BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

zimi
14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

Features

- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Real time energy usage in watts & dollars.
- Auto off timers.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices using Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

| Product Code	Colour	Description	Rating
SENMPS6	White	Senoa Multi Purpose Switch 6 Button	230V~ 50Hz Max 10A Total
SENMPS6BK	Black		

Load Type per channel	Symbol	Switch rated load	Spare Buttons
LED drivers & lamps		230W	
Incandescent		5A	
Fluorescent		2AX	Behaviour Link
Electronic transformers		2A	
Standard iron core & toroidal transformers		2A	
Small motors	(M)	M.20	

Dimensions (mm)

81
124
2 x Switch
2 x Switch
2 x Behaviour Link

26
71
10

84
Mounting hole - centres
46

Wiring Guide

ACTIVE
NEUTRAL
NEUTRAL
LINE
1 2 3 4
SWITCH LOAD

SENMPS6

SENMPS6BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

zimi

14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit   **https://support.zimi.life**

Features

- Suits most AC blinds with separate active wires for open/close (refer compatibility list).
- Open and close button (touch to stop).
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- 2 year warranty.

- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- Automatic schedules.
- Night light on/off and auto dim.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENBC2	White	Senoa Single Blind Controller	230V~ 50Hz
SENBC2BK	Black		

Load Type per channel	Symbol	Blind 1
Small Motors M.20	(M)	300W

Dimensions (mm)

81
124
Open/Stop
Close/Stop

26
71
10
84
Mounting hole - centres
46

Wiring Guide

NEUTRAL
OPEN
ACTIVE
CLOSE
Blind 1
NEUTRAL LINE OPEN CLOSE
BLIND 1

SENBC2

SENBC2BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect
Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

zimi
14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

Features

- Suits most AC blinds with separate active wires for open/close (refer compatibility list).
- Open and close button (touch to stop).
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- 2 year warranty.

- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- Automatic schedules.
- Power outage recovery.
- Night light on/off and auto dim.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SENBC4	White	Senoa Dual Blind Controller	230V~ 50Hz
SENBC4BK	Black		

Load Type per channel	Symbol	Blind 1	Blind 2
Small Motors M.20	(M)	300W	300W

Dimensions (mm)

81
124
Open/Stop
Close/Stop
Blind 1   Blind 2

26
71
10
84 — Mounting hole - centres
46
SENOA

Wiring Guide

NEUTRAL
OPEN
CLOSE
Blind 1
OPEN
CLOSE
Blind 2
ACTIVE

NEUTRAL | LINE | OPEN | CLOSE | OPEN | CLOSE
BLIND 1   BLIND 2

SENBC4

SENBC4BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

---

zimi

14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

Features

- NDIS compliant touch pad size (>35mm wide).
- Glass touch surface.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Automatic schedules.
- Auto off timers.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Power lock.
- Individual socket control.
- Night light on/off and auto dim.
- High energy use alert.
- Switching from other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

SNASPP

## Specifications

Product Code	Colour	Description	Max Load Rating	Line Voltage Freq.
SNASPP	White	Senoa Accessibility Power Point Switched 2 Gang	10A @ 250V~ 2500W	50Hz Nominal
SNASPPBK	Black			

Dimensions (mm)

SNASPPBK

Standards Approval:
AS/NZS 3112 & AS/NZS CISPR15

Certification Number:
GMA-511359-EA

Bluetooth®

Wiring Guide

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

***** Zimi Cloud Connect**

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

zimi

14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

Features

- NDIS compliant touch pad size (>35mm wide).
- 1 x Dimmer and 2 x Switches.
- Ripple Smooth™ dimming technology.
- Trailing edge dimmer.
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.

- Touch dimming control.
  Press for on/off
  Hold for dimming
  Double press for full brightness
  Triple press for a timed fade to off.
- Automatic schedules.
- Auto off timers.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Night light on/off and auto dim.
- Min and max dimming levels for increased compatibility without flicker.
- Multi way switching of other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SNASMDS3	White	Senoa Accessibility Multi Dimmer Switch	230V~ 50Hz Max 10A Total
SNASMDS3BK	Black		

Load Type per channel	Symbol	Dimmer rated load	Switch rated load
LED drivers & lamps		250W	230W
Incandescent		100W	5A
Fluorescent		✕	2AX
Electronic transformers		✕	2A
Standard iron core & toroidal transformers		✕	2A
Small motors	Ⓜ	✕	M.20

Dimensions (mm)

- Dimmer
- Switch
- Switch

81 · 124 · 26 · 71 · 10 · 46 · 84 Mounting hole - centres

Wiring Guide

ACTIVE
NEUTRAL

NEUTRAL · LINE · DIMMER · SWITCH 1 · SWITCH 2

SNASMDS3

SNASMDS3BK

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511367-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect
Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

Features

- NDIS compliant touch pad size (>35mm wide).
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.

- 2 year warranty.
- Automatic schedules.
- Auto off timers.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

Specifications

Product Code	Colour	Description	Rating
SNASMPS3	White	Senoa Accessibility Multi Purpose Switch	230V~ 50Hz Max 10A Total
SNASMPS3BK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A
Small motors	(M)	M.20

Dimensions (mm)

81 · 124 · Switch · Switch · Switch · 26 · 71 · 10 · 46 · 84 · Mounting hole - centres

Wiring Guide

ACTIVE
NEUTRAL
NEUTRAL · LINE · 1 · 2 · 3
SWITCH LOAD

SNASMPS3

SNASMPS3BK

Standards Approval:
AS/NZS60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

* Zimi Cloud Connect

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Hey Google

WORKS WITH alexa

Features

- NDIS compliant touch pad size (>35mm wide).
- Suits most AC blinds with separate active wires for open/close (refer compatibility list).
- Open and close blinds, (touch to stop).
- On / off light switch.
- Glass touch surface.
- Proximity sense touch pad illumination.
- Colour tuneable touch pads (RGBW).
- Slim magnetic glass fascia.
- Laser engraving option for icons and text.
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.

- Bluetooth mesh connectivity with each device acting as a repeater.
- Silverfish antenna technology.
- 2 year warranty.
- Automatic schedules.
- Real time energy usage in watts & dollars.
- Power outage recovery.
- Night light on/off and auto dim.
- Multi way switching of other Zimi devices with Behaviour Link.
- Voice control with your favourite voice assistant.*

Learn more at www.zimi.life

SNASBLC

SNASBLCBK

Specifications

Product Code	Colour	Description	Rating
SNASBLC	White	Senoa Accessibility Blind and Light Controller	230V~ 50Hz
SNASBLCBK	Black		

Load Type per channel	Symbol	Switch rated load
LED drivers & lamps		230W
Incandescent		5A
Fluorescent		2AX
Electronic transformers		2A
Standard iron core & toroidal transformers		2A

		Blind rated load
Small motors	M	300W

Standards Approval:
AS/NZ60669.2.1 & AS/NZS CISPR15

Certification Number:
GMA-511368-EA

Bluetooth®

Dimensions (mm)

- Light Switch
- Blind Open/Stop
- Blind Close/Stop

81
124
26
71
84 Mounting hole - centres
10
46

Wiring Guide

NEUTRAL
ACTIVE
BLIND
OPEN
CLOSE
NEUTRAL | LINE | SWITCH 1 | | OPEN | CLOSE
BLIND

Download Zimi
Scan the code with your phone camera to download.

GET IT ON Google Play

Download on the App Store

***Zimi Cloud Connect**

Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with **Hey Google**

WORKS WITH **alexa**

zimi
14 Millennium Circuit, Helensvale, QLD 4212 Australia. **www.zimi.life**

Need help?

email **support@zimi.life**
visit **https://support.zimi.life**

Fan Controller

With light switch

TRADER
100 Years of Gerard Electrical Tradition

Features

- Glass touch surface
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Switch terminals have 4mm bore to suit 1.5mm² cable.
- Screw caps included to cover mounting screws.
- LED indicator displays on/off state, and fan speed.
- Sliding touch control for fan speed.
- Touch control for light (room or fan light).
- Silverfish antenna technology.
- Bluetooth mesh connectivity with each device acting as a repeater.
- 2 year warranty.

- Real time energy use in watts & dollars.
- Automatic schedules.
- Auto off timers.
- Power outage recovery.
- Night light on/off and auto dim.
- Speed Sense technology changes the fan speed with room temperature.
- Behaviour Link with other Zimi devices.
- Voice control with your favourite voice assistant.

SENFCG

SENFCGBK

Specifications

Product Code	Colour	Description	
SENFCG	White	Senoa Fan Controller Glass Fascia with Light Switch 7 Speed 120W Fan 250W Light White	• **Line voltage frequency:** 50Hz Nominal • **7 speed capacitor control:** 1.1~3.3µF + full speed, suitable for most AC fans. • **Fan load:** 120 watts maximum @ 240V~ • **Light load:** 250 watts maximum @ 240V~
SENFCGBK	Black		

76
48
10   42
116

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON
Google Play

Download on the
App Store

* Zimi Cloud Connect
Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Google Home

works with alexa

SENOA

Fan Controller
With light switch

DATA SHEET

TRADER
100 Years of Gerard Electrical Tradition

Features

- Glass silk touch surface
- Fits standard Australian wall boxes and mounting accessories that use 84mm mounting centres.
- Switch terminals have 4mm bore to suit 1.5mm² cable.
- Screw caps included to cover mounting screws.
- LED indicator displays on/off state, and fan speed.
- Sliding touch control for fan speed.
- Touch control for light (room or fan light).
- Silverfish antenna technology.
- Bluetooth mesh connectivity with each device acting as a repeater.
- 2 year warranty.

- Real time energy use in watts & dollars.
- Automatic schedules.
- Auto off timers.
- Power outage recovery.
- Night light on/off and auto dim.
- Speed Sense technology changes the fan speed with room temperature.
- Behaviour Link with other Zimi devices.
- Voice control with your favourite voice assistant.

SENFCGS

SENFCGSBK

Specifications

Product Code	Colour	Description	
SENFCGS	White	Senoa Fan Controller Glass Silk Fascia with Light Switch 7 Speed 120W Fan 250W Light White	• **Line voltage frequency:** 50Hz Nominal • **7 speed capacitor control:** 1.1~3.3µF + full speed, suitable for most AC fans. • **Fan load:** 120 watts maximum @ 240V~ • **Light load:** 250 watts maximum @ 240V~
SENFCGSBK	Black		

76
48
10 42
116

Bluetooth®

Download Zimi
Scan the code with your phone camera to download.

GET IT ON
Google Play

Download on the
App Store

* Zimi Cloud Connect
Enjoy the complete experience of all your Zimi devices with full functionality, reliable connectivity and energy history.

works with Google Home

works with alexa