



100 Years of Gerard Electrical Tradition



Falcon Ceiling Exhaust Fan Ducted

Hatched and Ready to Take Flight.
Don't just give someone 'The Bird'.
Tell them to 'Get Ducted'.

Order code:
FNCEFDR
FNCEFDS
FNCEFDSR
FNCEFDSS

FN = Falcon

CEF = Ceiling Exhaust Fan

D = Ducted

[**R** = Round] [**S** = Square] [**S** = Small]



FNCEFDR



FNCEFDS



FNCEFDSR



FNCEFDSS





The Falcon – Trader’s range of Ceiling Exhaust Fans. Ideal for typical residential installation.

FNCEFDR - Falcon Ceiling Exhaust Fan Ducted Round [FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // R = Round]

FNCEFDS - Falcon Ceiling Exhaust Fan Ducted Square [FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // S = Square]

FNCEFDSR - Ceiling Exhaust Fan Ducted, Small 240mm Round Fascia [FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // S = Small // R = Round]

FNCEFDSS - Ceiling Exhaust Fan Ducted, Small 240mm Square Fascia [FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // S = Small // S = Square]



FNCEFDG - Falcon Ceiling Exhaust Fan Grille [FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // G = Grille]

FNCEFDR // FNCEFDS

- Ideal for rapid removal of steam and odours
- Easy to clean grille
- Quiet operation
- Built in non-return draft excluder
- Retro-fit for 295mm round cut-out
- Plug and lead fitted
- 150mm duct compatible
- Suitable for ceilings between 5mm and 12mm
- 60 Watt Ball Bearing Motor
- Ducting Outlet Ø150mm
- Airflow 350 m³/h
- Cutout size Ø295mm

FNCEFDSR // FNCEFDSS

- High air extraction up to 270m³/hr
- Energy efficient 30 Watt ball bearing motor
- Rated voltage 220-240V~50Hz
- Cutout size Ø240mm
- Ducting Outlet Ø100mm
- Power cord included
- Slide is ducted with draft stopper
- Cutting Template Ø240mm (on inside top flap of packaging), also provided in box
- Does not come with duct or outlet grille
- Quick and easy installation
- Ideal for bathrooms, toilets, or kitchens



FNCEF200 and FNCEF250 also available in the Falcon range.

Ceiling Exhaust Fans in commonly used 200 and 250 styles with a high performance ball bearing motor.

See Separate Flyer and Data Sheet for more information.



FNCEFDR

FNCEFDS

FNCEFDG

FNCEF200

FNCEF250



100 Years of Gerard Electrical Tradition





Falcon Ceiling Exhaust Fans

with easy to clean grille

The Falcon - Trader's Range of Ceiling Exhaust Fans. Ideal for a typical residential installation. Available in commonly used 200 and 250 styles with a high performance ball bearing motor.

Order codes:

FNCEF200

FNCEF250



The Falcon – Trader’s Range of Ceiling Exhaust Fans. Ideal for a typical residential installation. Available in commonly used 200 and 250 styles with a high performance ball bearing motor.

Features include:

- Easy to clean clip on grille
- High performance ball bearing motor
- Compatible with our Hyena Surface Sockets

FNCEF200 - Ceiling Exhaust Fan 200mm

- **Cut out size: Ø 240mm / Overall diameter 300mm**
- 107mm product height without fascia
- 117mm product height including fascia
- 100mm minimum height clearance from rooftop to ceiling
- 214mm air outlet diameter
- Air flow 240m³ per hour
- 25 Watt ball bearing motor

FNCEF250 - Ceiling Exhaust Fan 250mm

- **Cut out size: Ø 290mm / Overall diameter 355mm**
- 103mm product height without fascia
- 112mm product height including fascia
- 100mm minimum height clearance from rooftop to ceiling
- 270mm air outlet diameter
- Air flow 401m³ per hour
- 35 Watt ball bearing motor



Easy to Clean Grille



High Performance Ball Bearing Motor



Frame design has rotating clamp lugs for ease of installation.

The Falcon – other products available in the range:

FNCEFDR - Falcon Ceiling Exhaust Fan Ducted Round

[FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // R = Round]

FNCEFDS - Falcon Ceiling Exhaust Fan Ducted Square

[FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // S = Square]

FNCEFDG - Falcon Ceiling Exhaust Fan Grille

[FN = Falcon // CEF = Ceiling Exhaust Fan // D = Ducted // G = Grille]

See Separate Flyer and Data Sheet for more information.



FNCEFDR

FNCEFDS

FNCEFDG

FNCEF200

FNCEF250



Cross Reference Chart

Trader	Clipsal*
FNCEFDR / FNCEFDS	CEF40
FNCEF200	CE200
FNCEF250	CE250

Note: there are other cross references in the market across the exhaust fan sector

*The Clipsal brand and associated products are registered trademarks of Schneider Electric (Australia) Pty Ltd. GSM Electrical (Australia) Pty Ltd, the TRADER brand and it's products, have no endorsement or affiliation with Schneider Electric Pty Ltd.

