

10 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 10 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 10 Series Selection form

Includes all product codes and descriptions


Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Bungalow / Tudor Switches & Accessories with Flat Plate Covers Range

- Bungalow, popular interwar and postwar, refers to a cottage with low-pitched roof and wide verandah.
- Tudor-style homes, popular from 1915-1940, stand out for their steeply pitched roofs, stonework, and wooden beams.
- 67mm Square Base.
- Bungalow Mounting blocks are required for installation - purchased separately
- Available in all 12 finishes.


PB - Polished Brass
PBM - Polished Brass Matt
CH - Chrome
SC - Satin Chrome
AB - Antique Brass
ABM - Antique Brass Matt
BB - Black Bronze
BBM - Black Bronze Matt
FB - Florentine Bronze
FBM - Florentine Bronze Matt
NB - Non-Relieved Bronze
NBM - Non-Relieved Bronze Matt



- White Power Point and Brown Power Point also available.

10 Series Accessories include:

- Switch - 20A/16AX
- Power Point - 10A
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- TV Socket - F to Pal Type
- Pay TV Socket - F to F Type Foxtel Approved
- Data Socket - Cat 6
- Phone Socket - RJ45 Cat 3
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All 10 Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

Bungalow Mounting Block Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view Bungalow Mounting Block Catalogue Pages

Includes all product codes and Images.



Scan to view Bungalow Mounting Block Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old lacquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Mounting Blocks for Bungalow and Tudor Range

- Suitable for 10 Series ONLY.
- Bungalow, popular interwar and postwar, refers to a cottage with low-pitched roof and wide verandah.
- Tudor-style homes, popular from 1915-1940, stand out for their steeply pitched roofs, stonework, and wooden beams.
- Pre-Drilled to suit 10 Series plates.
- Available in Pine (P) and Cedar (C)

MOUNTING BLOCK PROFILE



Bungalow Mounting Block Include:

- 1 Gang Square (96mm x 96mm) CBLOCK101G (P / C) SSW
- 2 Gang Oblong (96mm x 167mm) CBLOCK102G (P / C) RSW
- 2 Gang Oblong Power Outlet (96mm x 167mm) CBLOCK102G (P / C) RSKT
- 3 Gang Oblong (96mm x 240mm) CBLOCK103G (P / C) RSW
- 3 Gang Oblong Power Outlet (96mm x 240mm) CBLOCK103G (P / C) RSKTSW
- 4 Gang Oblong (96mm x 310mm) CBLOCK104G (P / C) RSW
- 4 Gang Oblong Power Outlet (96mm x 310mm) CBLOCK410G (P / C) RSKT
- 4 Gang Square (167mm x 167mm) CBLOCK104G (P / C) SSW
- 4 Gang Square Power Outlet (167mm x 167mm) CBLOCK104G (P / C) SSKT



CBLOCK101GPSSW



CBLOCK101GCSSW



CBLOCK104GPRSW



CBLOCK104GCRSW



CBLOCK102GPRSW



CBLOCK102GCRSW



CBLOCK410GPRSKT



CBLOCK104GCRSKT



CBLOCK102GPRSKT



CBLOCK102GCRSKT



CBLOCK104GPSSW



CBLOCK104GCSSW



CBLOCK103GPRSW



CBLOCK103GCRSW



CBLOCK104GPSSKT



CBLOCK104GCSSKT



CBLOCK103GPRSKTSW



CBLOCK103GCRSKTSW

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@g sme.com.au

www.g sme.com.au



20 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 20 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 20 Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.


Deep Fluted Cover for Shallow Porcelain Base Range

- 58 Diameter, 12mm High Porcelain Base, 45mm Total Height.
- Classic Mounting blocks are suited for installation - purchased separately.




- Available in all 12 finishes.

PB - Polished Brass
PBM - Polished Brass Matt
CH - Chrome
SC - Satin Chrome
AB - Antique Brass
ABM - Antique Brass Matt
BB - Black Bronze
BBM - Black Bronze Matt
FB - Florentine Bronze
FBM - Florentine Bronze Matt
NB - Non-Relieved Bronze
NBM - Non-Relieved Bronze Matt



20 Series Accessories include:

- Switch - 20A/16AX
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All 20 Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

25 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 25 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 25 Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.


Deep Smooth Cover for Shallow Porcelain Base Range

- 58 Diameter, 12mm High Porcelain Base, 45mm Total Height.
- Classic Mounting blocks are suited for installation - purchased separately.




- Available in all 12 finishes.

PB - Polished Brass
PBM - Polished Brass Matt
CH - Chrome
SC - Satin Chrome
AB - Antique Brass
ABM - Antique Brass Matt
BB - Black Bronze
BBM - Black Bronze Matt
FB - Florentine Bronze
FBM - Florentine Bronze Matt
NB - Non-Relieved Bronze
NBM - Non-Relieved Bronze Matt



25 Series Accessories include:

- Switch - 20A/16AX
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All 25 Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

30 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 30 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 30 Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.


Deep Porcelain Base Shallow Smooth Cover and Deep Porcelain Base Range

- 58 Diameter, 18mm High Porcelain Base, 45mm Total Height.
- Classic Mounting blocks are suited for installation - purchased separately.





- Available in all 12 finishes.

- PB - Polished Brass
- PBM - Polished Brass Matt
- CH - Chrome
- SC - Satin Chrome
- AB - Antique Brass
- ABM - Antique Brass Matt
- BB - Black Bronze
- BBM - Black Bronze Matt
- FB - Florentine Bronze
- FBM - Florentine Bronze Matt
- NB - Non-Relieved Bronze
- NBM - Non-Relieved Bronze Matt



30 Series Accessories include:

- Switch - 20A/16AX
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All 30 Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

31GA Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 31GA Series Catalogue Pages

Includes all product codes and Images.



Scan to view 31GA Series Selection form

Includes all product codes and descriptions


Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Grid Assembly Only with Shallow Cover Smooth and Deep Porcelain Base Range

- 58 Diameter, 18mm High Porcelain Base, 55mm Total Height.
- Classic Mounting blocks are suited for installation - purchased separately.
- Available in all 12 finishes.

- PB - Polished Brass
- PBM - Polished Brass Matt
- CH - Chrome
- SC - Satin Chrome
- AB - Antique Brass
- ABM - Antique Brass Matt
- BB - Black Bronze
- BBM - Black Bronze Matt
- FB - Florentine Bronze
- FBM - Florentine Bronze Matt
- NB - Non-Relieved Bronze
- NBM - Non-Relieved Bronze Matt




- 31GA Series DOES NOT come pre-populated, Mechanisms are sold separately.

Mechanisms suited for 31GA Series:

| Catalogue Number | Description |
|------------------|---|
| MESWBPR | Switch Mechanism Bell Press Return 10AX/16A 250V |
| MESWBPRBK | Switch Mechanism Bell Press Return 10AX/16A 250V Black |
| MESWBPRMBK | Switch Mechanism Bell Press Return 10AX/16A 250V Matt Black |
| MESW32OVEN | Switch Mechanism 32A 250V Labelled OVEN |
| MESW32OVENBK | Switch Mechanism 32A 250V Labelled OVEN Black |
| MESW32HOB | Switch Mechanism 32A 250V Labelled HOB |
| MESW32HOB BK | Switch Mechanism 32A 250V Labelled HOB Black |
| MESW32HOBMBK | Switch Mechanism 32A 250V Labelled HOB Matt Black |
| MESW35OO | Switch Mechanism 3 Position 10AX 16A 250V Labelled SENSOR OFF ON |
| MESW35OGBK | Switch Mechanism 3 Position 10AX 16A 250V Labelled SENSOR OFF ON Black |
| MESW35OOMBK | Switch Mechanism 3 Position 10AX 16A 250V Labelled SENSOR OFF ON Matt Black |
| MESW3AOM | Switch Mechanism 3 Position 10AX 16A 250V Labelled AUTO OFF MAN |
| MESW3AOMBK | Switch Mechanism 3 Position 10AX 16A 250V Labelled AUTO OFF MAN Black |
| MESW3AOMMBK | Switch Mechanism 3 Position 10AX 16A 250V Labelled AUTO OFF MAN Matt Black |
| MERJ6CM | Data Outlet Clipin Mechanism Cat 6 |
| MERJ45PH8P4C | RJ45 Cat 3 Phone Jack |
| MERJ45PH8P4C | RJ45 Cat 3 Phone Jack |
| METVFFCMFX | TV Socket F to F Type Connection Modular Clip Foxtel Approved |
| METVFFPCM | TV Socket F Type to PAL Modular Clip |



Scan to view
Meerkat Data
Sheets



Certification Number:

All 31GA Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

45 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 45 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 45 Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Deep Fluted Cover Range

- 53 Diameter, 35mm High.
- Classic Mounting blocks are suited for installation - purchased separately.



- Available in all 12 finishes.

PB - Polished Brass

PBM - Polished Brass Matt

CH - Chrome

SC - Satin Chrome

AB - Antique Brass

ABM - Antique Brass Matt

BB - Black Bronze


BBM - Black Bronze Matt

FB - Florentine Bronze

FBM - Florentine Bronze Matt

NB - Non-Relieved Bronze



NBM - Non-Relieved Bronze Matt



- White Square and Brown Square Toggle also available.

45 Series Accessories include:

- Switch - 20A/16AX
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- TV Socket - F to Pal Type
- Pay TV Socket - F to F Type Foxtel Approved
- Data Socket - Cat 6
- Phone Socket - RJ45 Cat 3
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All 45 Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

55 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 55 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 55 Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.


Deep Smooth Cover Range

- 53 Diameter, 35mm High.
- Classic Mounting blocks are suited for installation - purchased separately.



- Available in all 12 finishes.


PB - Polished Brass
PBM - Polished Brass Matt
CH - Chrome
SC - Satin Chrome
AB - Antique Brass
ABM - Antique Brass Matt
BB - Black Bronze
BBM - Black Bronze Matt
FB - Florentine Bronze
FBM - Florentine Bronze Matt
NB - Non-Relieved Bronze
NBM - Non-Relieved Bronze Matt



- White Square and Brown Square Toggle also available.

55 Series Accessories include:

- Switch - 20A/16AX
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- TV Socket - F to Pal Type
- Pay TV Socket - F to F Type Foxtel Approved
- Data Socket - Cat 6
- Phone Socket - RJ45 Cat 3
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All 55 Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

56 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 56 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 56 Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.


Socket Range

- 50 Diameter, 29mm High.
- Classic Mounting blocks are suited for installation - purchased separately.





- Available in all 12 finishes.

- PB - Polished Brass
- PBM - Polished Brass Matt
- CH - Chrome
- SC - Satin Chrome
- AB - Antique Brass
- ABM - Antique Brass Matt
- BB - Black Bronze
- BBM - Black Bronze Matt
- FB - Florentine Bronze
- FBM - Florentine Bronze Matt
- NB - Non-Relieved Bronze
- NBM - Non-Relieved Bronze Matt



- 10A and 15A
- White Power Point and Brown Power Point available.
- Covers only also available.



Certification Number:
GMA-514156-EA

GSM Electrical (Australia) Pty Ltd
Level 2, 142-144 Fullarton Road, Rose Park SA 5067
P: 1300 301 838 E: vintage@gsmc.com.au
www.gsmc.com.au



85 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 85 Series Catalogue Pages

Includes all product codes and images.



Scan to view 85 Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.


Deep Smooth for Federation Range

- Federation style, popular from 1890 to 1951, characterised by red brick, stained glass, verandahs, tessellated tiles, and pressed-metal ceilings.
- 53 Diameter, 35mm High.
- Classic Mounting blocks are suited for installation - purchased separately.



- Available in all 12 finishes.


PB - Polished Brass
PBM - Polished Brass Matt
CH - Chrome
SC - Satin Chrome
AB - Antique Brass
ABM - Antique Brass Matt
BB - Black Bronze
BBM - Black Bronze Matt
FB - Florentine Bronze
FBM - Florentine Bronze Matt
NB - Non-Relieved Bronze
NBM - Non-Relieved Bronze Matt



- White Square and Brown Square Toggle also available.

85 Series Accessories include:

- Switch - 20A/16AX
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- TV Socket - F to Pal Type
- Pay TV Socket - F to F Type Foxtel Approved
- Data Socket - Cat 6
- Phone Socket - RJ45 Cat 3
- Dimmer - Rotary Dimmer 400W Max
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All 85 Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

90 Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view 90 Series Catalogue Pages

Includes all product codes and Images.



Scan to view 90 Series Selection form


Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Pull Cord Switches

- 62 Diameter, 63mm High.
- Available in all 12 finishes.
 - PB - Polished Brass
 - PBM - Polished Brass Matt
 - CH - Chrome
 - SC - Satin Chrome
 - AB - Antique Brass
 - ABM - Antique Brass Matt
 - BB - Black Bronze
 - BBM - Black Bronze Matt
 - FB - Florentine Bronze
 - FBM - Florentine Bronze Matt
 - NB - Non-Relieved Bronze
 - NBM - Non-Relieved Bronze Matt
- Pull Cord Switch 10AX 250V~ M80
- 2 Way
- 4 terminal (Common, 1, 2, Loop terminals)
- Ø56mm
- Ø4.1mm terminal holes
- 10AX
- 2m Cord
- Mounting screw centres 36mm
- Easy mounting on timber or plaster surfaces
- Cord restraint Mechanism that enables easy cable length adjustment
- Replacement Parts also available
 - Replacement Parts such as Covers only, White, Brown or Black cord, Pine, Cedar or Black cord weight sold separately. Cords sold at 1 metre lengths.



C90PSWCWPN
Suitable for 90 Series



C90PSWCWBK
Suitable for 90 Series



C90PSWCWCD
Suitable for 90 Series



C90PSWCWH
Suitable for 90 Series



C90PSWCBK
Suitable for 90 Series



C90PSWCBR
Suitable for 90 Series



Certification Number:
GMA-505281 for HYSWPC Pull Cord Series.

GSM Electrical (Australia) Pty Ltd
Level 2, 142-144 Fullarton Road, Rose Park SA 5067
P: 1300 301 838 E: vintage@gsmc.com.au
www.gsmc.com.au



BAKELITE Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.



Scan to view BAKELITE Series Catalogue Pages

Includes all product codes and Images.



Scan to view BAKELITE Series Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

BAKELITE Range


- Socket - 50mm diameter, 28mm high.
- Switch - 55mm diameter, 35mm high.
- Classic Mounting blocks are suited for installation - purchased separately.



- Available in White and Brown.

BAKELITE Series Accessories include:

- Switch - 20A/16AX
- Power Point - 10A
- 3 Speed Fan Controller - 1.8uF to 2.7uF 75VA Capacitor
- TV Socket - F to Pal Type
- Pay TV Socket - F to F Type Foxtel Approved
- Data Socket - Cat 6
- Phone Socket - RJ45 Cat 3
- Dimmer - Rotary Dimmer 400W Max
- Suspension Kits
- Ceiling Rose
- Lamp Holders
- Replacement Parts
 - Replacement Parts such as Covers only, Inner Covers, Inner Covers with Mechanisms, Inner Cover with Dimmer's, Inner Cover with Fan Controller's, Fan Controller Knobs and Dimmer Knobs, available separately.



Certification Number:

All BAKELITE Series Switches: GMA-514156-EA, GMA-514735-EA

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

Galleries and Coolie Shades

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are **MADE TO ORDER** within **5 business days**, subject to availability.



Scan to view Galleries and Coolie Shades Catalogue Pages

Includes all product codes and Images.



Scan to view Galleries and Coolie Shades Selection form

Includes all product codes and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Lighting Accessories

Galleries

- Available in White and Brown
- Sizes - 2.25 Inch, 3.25 Inch, 4.25 Inch, 5.25 Inch and 6.25 Inch
- Lamp Holder or Batten Fitting Aperture 28 mm



CGBWH225



CGBBR225



CGBWH325



CGBBR325



CGBWH425



CGBBR425



CGBWH525



CGBBR525



CGBWH625



CGBBR625



Coolie Shades

- Available in White, Blue, Pink and Green.
- Sizes - 9 Inch Plain and 8.25 Inch Ornate
- Lamp Shade or Batten Fitting Aperture 28 mm



CCSBWH9



CCSBPK9



CCSBGR9



CCSBBL9



CCSBWH825



CCSBPK825



CCSBGR825



CCSBBL825

GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsm.com.au

www.gsm.com.au



Data Specification Sheet
November 2023

CLASSIC Mounting Block Series

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs
are **MADE TO ORDER**
within **5 business days**,
subject to availability.



**Scan to view Classic
Mounting Block Series
Catalogue Pages**

Includes all product codes and Images.



**Scan to view Classic
Mounting Block Series
Selection form**

Includes all product codes
and descriptions

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Mounting Blocks

- Suitable for all Vintage series, apart from 10 Series.
- Pre-Drilled
- Available in Pine, Cedar and Undercoat.

MOUNTING BLOCK PROFILES



Classic Mounting Block Include:

- 1 Gang Round (88mm) CBLOCK1G (P / C / UC) RO
- 1 Gang Square (90mm x 90mm) CBLOCK1G (P / C / UC) S
- 1 Gang Oblong (90mm x 155mm) CBLOCK1G (P / C / UC) R
- 2 Gang Oblong (90mm x 155mm) (to suit dimmer) CBLOCK2G (P / C / UC) RDIMR
- 2 Gang Oblong (90mm x 155mm) CBLOCK2G (P / C / UC) R
- 3 Gang Oblong (90mm x 225mm) CBLOCK3G (P / C / UC) R
- 4 Gang Oblong (90mm x 280mm) CBLOCK4G (P / C / UC) R
- 4 Gang Square (155mm x 155mm) CBLOCK4G (P / C / UC) S
- 2 Gang Oval (110mm x 156mm) CBLOCK2G (P / C / UC) O
- 1 Gang Round (115mm) CBLOCK1G (P / C / UC) ROL
- Oblong (150mm x 107mm) CBLOCK1G (P / C / UC) R84MC
- 6 Gang Oblong (155mm x 220mm) CBLOCK6G (P / C / UC) R



GSM Electrical (Australia) Pty Ltd

Level 2, 142-144 Fullarton Road, Rose Park SA 5067

P: 1300 301 838 E: vintage@gsmc.com.au

www.gsmc.com.au



Data Specification Sheet
November 2023

Dimmers

*See Vintage catalogue for further detail



Vintage Dimmers

- Dimmers are available in 10, 20, 25, 30, 45, 55, 85 & Bakelite Series.
- Traders Dimpala DIMR is standard with Vintage Range but DIMRRIP also fits.
- Dimmer Knobs come in 7 finishes to suit all 12 Vintage finishes - available separately.
- Standard Trader Dimmer knobs DO NOT fit Vintage Dimmer assemblies.
- Dimmer with Inner Covers available separately for 10, 20, 25, 30, 45, 55 85 & Bakelite Series.



C10DIMR

Suitable for
10 Series



C30DIMR

Suitable for
20, 25 & 30 Series



C55DIMR

Suitable for
45, 55, 85
& Bakelite Series


Dimmer Knobs




PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.

Cleaning Guide:


1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.



**Porcelain Base Ranges
20, 25 & 30 Series**



**No Porcelain Base Ranges
45, 55, 85 & Bakelite Series**



**Square Flat Range
10 Series**

Fan Controllers

*See Vintage catalogue for further detail



PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old laquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Vintage Fan Controllers

- Fan Controllers are available in 10, 20, 25, 30, 45, 55, 85 & Bakelite Series.
- Traders Meerkat MEFC is standard with Vintage Range but MEFC2 also fit.
- Fan Controller Knobs come in 7 finishes to suit all 12 Vintage finishes - available separately.
- Standard Trader Fan Controller knobs DO NOT fit Vintage Fan Controller assemblies.
- Fan Controller with Inner Covers available separately for 10, 20, 25, 30, 45, 55 85 & Bakelite Series.



C10FC3

Suitable for
10 Series



C30FC3


Suitable for
20, 25 & 30 Series




C55FC3

Suitable for
45, 55, 85
& Bakelite Series


Fan Controller Knobs



Porcelain Base Ranges
20, 25 & 30 Series



No Porcelain Base Ranges
45, 55, 85 & Bakelite Series



Square Flat Range
10 Series

Replacement Parts

*See Vintage catalogue for further detail



Scan to view Replacement Parts Catalogue Pages

Includes all product codes and Images.

PLEASE NOTE all SKUs are MADE TO ORDER within 5 business days, subject to availability.

Cleaning Guide:

1. Remove covers from switches, they are legal and safe with the covers removed it is not necessary to turn the power off.
2. Remove old lacquer with thinners or acetone applied with a soft cloth.
3. Repolish with brass/metal polish
4. Apply a clear metal lacquer which is available in spray packs.

Inner Covers, Inner Covers with Mechanisms and Porcelain

Inner Cover Only



C10INCOV
Suitable for
10 Series



C30INCOV
Suitable for
20, 25 & 30 Series



C31INCOV
Suitable for
31GA Series



C55INCOV
Suitable for
45, 55, 85
& Bakelite Series

Inner Cover + Mechanism



C10SWMPB
Suitable for
10 Series



C30SWMPB
Suitable for
20, 25 & 30 Series



C55SWMPB
Suitable for
45, 55 & 85 Series




C55SWMSQWH
Suitable for
45, 55, 85
& Bakelite Series



C55SWMSQBR
Suitable for
45, 55, 85
& Bakelite Series

- Switch - 20A/16AX
- Available in all 12 finishes.
 - PB - Polished Brass
 - PBM - Polished Brass Matt
 - CH - Chrome
 - SC - Satin Chrome
 - AB - Antique Brass
 - ABM - Antique Brass Matt
 - BB - Black Bronze
 - BBM - Black Bronze Matt
 - FB - Florentine Bronze
 - FBM - Florentine Bronze Matt
 - NB - Non-Relieved Bronze
 - NBM - Non-Relieved Bronze Matt



Porcelain



C20PBWH
Suitable for
20 & 25 Series



C20PBBK
Suitable for
20 & 25 Series



C30PBWH
Suitable for
30 & 31GA Series



C30PBBK
Suitable for
30 & 31GA Series

