

HYJB3T
HYJB3TE

*See current catalogue for further detail

Page 1 of 3

Hyena Junction Boxes (3 Fixed Terminals)


 HYJB3T
 41mm (w) x 73mm (h) x 26mm (d)

 HYJB3T
 (Back view)

 HYJB3TE
 (Inside view showing Earth Tab)

HYJB3T - Hyena Junction Box with 3 Fixed Terminals

- Cover has single screw for easy quick assembly
- Clean easy to break out entries for cable access
- Strong robust polycarbonate construction
- 41mm (w) x 73mm (h) x 26mm (d)
- Diameter 6.0mm terminal bores
- Current rating 30A

HYJB3TE - Hyena Junction Box with 3 Fixed Terminals WITH EARTH

- Junction box with 3 fixed terminals - WITH EARTH MOUNTING TAB CONNECTION
- All other features as above (HYJB3T)
- Current rating 30A



Clean and easy to break out entries for cable access



Strong robust polycarbonate construction

Catalogue Number	Description
HYJB3T	Junction Box with 3 Fixed Terminals
HYJB3TE	Junction Box with 3 Fixed Terminals with Earth Tab Connection

 Certification Number:
 GMA-504344

 GSM Electrical (Australia) Pty Ltd
 Level 2, 142-144 Fullarton Road, Rose Park SA 5067
 P: 1300 301 838 F: 1300 301 778 E: service@gmse.com.au
www.gmse.com.au

 Data Specification Sheet
 October 2024


HYJB3T
HYJB3TE
HYJBIP3T
HYJBIP3TBK


*See current catalogue for further detail

Page 2 of 3

Hyena Junction Boxes (3 Fixed Terminals)

HYJBIP3T - Junction Box IP56 with 3 Fixed Terminals

- Supplied with a removable three-way terminal block which is rated for 20A 500Vac
- IP56 to suit most outdoor locations
- 2x offset mounting holes for easy installations to maintain IP rating
- Supplied with 2x threaded 20mm cable entry options.
- Supplied with 2x 20mm cable glands & 1x 20mm plain screw conduit adapter with rubber O-ring.
- Made of UV resistant Polycarbonate (PC and PVC) material to protect against sunlight.
- Available in white, or black (please check availability).



Catalogue Number	Description
HYJBIP3T	Junction Box IP56 with 3 Fixed Terminals
HYJBIP3TBK	Junction Box IP56 with 3 Fixed Terminals, Black



Certification Number:
TBC

GSM Electrical (Australia) Pty Ltd
Level 2, 142-144 Fullarton Road, Rose Park SA 5067
P: 1300 301 838 F: 1300 301 778 E: service@gmse.com.au
www.gmse.com.au



HYJB3TSC




*See current catalogue for further detail

Page 3 of 3

Hyena Junction Boxes (3 Fixed Terminals)

HYJB3TSC - Junction Box Plastic 3 Fixed Twin Screw Terminals Large Profile Fast Fit Clip On Cover

- Suitable for connecting cables 3 x 6mm² or 4 x 2.5²
- Terminal tunnels 6.0mm
- Current rating 40A
- Designed for single phase applications and the assembled is rated at 250V~
- Tunnel terminals meet the 80% ruling in clause 2.10.4.2 from AS/NZS3000
- 3 brass terminals suitable for joining into existing cables for those who prefer to have the terminations fixed to the base rather than loose insulated terminals in the box.
- The junction box uses a combination of easy side clips for those who need to assemble the box lid in place prior final fastening down, combined with the fast fix diagonally opposed cover screws.
- The Junction box features the same overall size and cut out features seen in the other HYJB4T series products.



Catalogue Number	Description
HYJB3TSC	Junction Box Plastic with 3 Fixed Twin Screw Terminals 40A 250V Large Profile Fast Fit Clip On Cover White

Certification Number:
GMA-518123

GSM Electrical (Australia) Pty Ltd
Level 2, 142-144 Fullarton Road, Rose Park SA 5067
P: 1300 301 838 F: 1300 301 778 E: service@gmse.com.au
www.gmse.com.au



Data Specification Sheet
March 2024

